

Xerox[®] WorkCentre[®] 3615 Black-and-white Multifunction Printer



	8
	WorkCentre® 3615DN
Output Speed	Up to 47 ppm 8.5 x 11 in. Up to 45 ppm A4 / 210 x 297 mm Up to 38 ppm 8.5 x 14 in. / 216 x 356 mm
Automatic Two-sided	Up to 29 ppm 8.5 x 11 in. Up to 28 ppm A4 / 210 x 297 mm Up to 25 ppm 8.5 x 14 in. / 216 x 356 mm
Paper Handling – Input	
Duplex Automatic Document Feed	er (DADF)
Capacity ¹	60 sheets
Sizes	5.5 x 5.5 in. to 8.5 x 14 in. / 140 x 140 mm to 216 x 356 mm
Weights	Simplex: 13 to 32 lb. bond / 50 to 125 gsm Duplex: 13 to 32 lb. bond / 50 to 125 gsm
Multipurpose Tray	
Capacity ¹	150 sheets
Sizes	Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm
Weights	16 lb. bond to 80 lb. cover / 60 to 220 gsm
Mediα Types	Plain Plain thick Other Card stock Lightweight Heavyweight Rough surface Labels Envelopes Letterhead Hole punched
Tray 1	
Capacity ¹	550 sheets
Sizes	Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm
Weights	16 lb. bond to 80 lb. cover / 60 to 220 gsm
Mediα Types	Plain Plain thick Other Card stock Lightweight Heavyweight Rough surface Labels Letterhead Hole punched
Up to 3 Additional Trays (Optional)	
Capacity ¹	550 sheets each
Sizes	Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm
Weights	16 lb. bond to 80 lb. cover / 60 to 220 gsm

Media Types	Plain Plain thick Other Card stock Lightweight Heavyweight Rough surface Labels Letterhead Hole punched
Paper Input Capacity	
Standard Paper Capacity ¹	700 sheets
Maximum Paper Capacity ¹	2,350 sheets
Paper Output	
Automatic Two-sided Output	250 sheets
Print	
First-page-out Time	As fast as 6.5 seconds
Print Resolution	Up to 1200 x 1200 dpi
Maximum Print Area	4 mm from all edges or 207.7 mm x 347.4 mm (default), 215.9 mm x 255.6 mm with edge-to-edge mode
Memory (std / max)	1 GB / 1 GB
Processor	525 MHz
Page Description Languages	PCL [®] 5e and 6 emulations PostScript [®] 3 [™] emulation PDF emulation
Connectivity	10/100/1000Base-T Ethernet High Speed USB 2.0 USB Direct Print Optional Wi-Fi (with Xerox® Wireless Networking Adapter)
Print Features	Booklet printing Scaling Fit to page Watermarks Custom-size pages N-up Toner save mode Secure print Collation Print from USB memory device
Supported Operating Systems	Microsoft® Windows® XP SP1, Vista, 7, 2008 Server, 2003 Server Mac OS® 10.5 and later Various Linux® and UNIX® distributions, including: • IBM® AIX® 5 • HP-UX® 11i v2 • openSUSE® 11 • Red Hat® Fedora® Core 11-14 • Ubuntu®
Print Drivers	Microsoft Windows XP and above 2003 Server and above Mac OS 10.5 and above Red Hat Enterprise 4, 5 Fedora Core 14-16 openSUSE 11, 12 IBM AIX-5 HP-UX 11, 111 Solaris® 9, 10 Ubuntu Xerox® Global Print Driver® Xerox® Mobile Express Driver®
Font Capability	87 PostScript® Fonts; 88 PCL® Fonts
Xerox [®] Mobile Express Driver [®]	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox devices in every new location. Plug into a new network, and Xerox® Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favorite" printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT. • Printers are automatically discovered • Printer list can be managed based on location • Gives Bi-directional feedback device status, supplies, queue management

Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management. • Printers are automatically discovered • Printer list can be managed based on location • Gives Bi-directional feedback device status, supplies, queue management
Сору	
Copy Speed	Up to 42 copies per minute (cpm) 8.5 x 11 in. / 40 cpm A4
Document Scanner	Duplex Automatic Document Feeder with 60-sheet capacity
Document Scanner Size	Platen: Up to 8.5 x 14 in. / 216 x 356 mm DADF: Up to 8.5 x 14 in. / 216 x 356 mm
Sides (input:output)	1:1, 1:2, 2:2 and 2:1
Quantity	1 to 999
Resolution	Up to 600 x 600 dpi
First-copy-out Time	As fast as 8.5 seconds
Copy Features	Automatic background suppression Darkness control ID card copy Edge erase N-up Job build Photo build Photo build Photo mode Program ahead
Fax	
Fax Speed	33.6 Кbps
Memory	4 MB
Resolution	Up to 400 x 400 dpi (Super Fine) resolution Up to 300 x 300 dpi (Photo) resolution Up to 203 x 196 dpi (Fine) resolution Up to 203 x 98 dpi (Standard) resolution
Compression	MH, MR, MMR, JBIG
Fax Features ²	Reject Junk Fax Distinctive Ring Pattern Detection Fax Forwarding to Fax, Email and Server with / without Local Print Polling Receive Delayed Start (up to 24 hours) Broadcast Sending (up to 200 destinations) Fax Address Book (up to 200 speed dial) Secure Fax Receive
LAN Fax Features	Delayed Start (up to 24 hours) Broadcast Sending (up to 30 destinations) Zoom Auto Fit Rotation N-up Watermark Phonebook (up to 500 speed dial numbers, up to 500 group dial, Phonebook stored on PC)
Scan	
Capability	Black-and-white and color scanning
Input Speed	Up to 40 images per minute (ipm)
Resolution (max)	Up to 1200 x 1200 dpi
Bit Depth	8-bit grayscale, 24-bit color
Maximum Scan Area	8.5 x 11 in. / 215.9 x 355.6 mm
Network Filing Protocol	FTP, SMB
File Formats	JPEG TIFF Multipage TIFF PDF
Scan Driver Compatibility	WIA, TWAIN

Supported Scap Destinations	Scan to computer via SMP				
Supported Scan Destinations	Scan to computer via SMB Scan to server via FTP				
	Scan to email with LDAP support				
	Scan to USB memory device Scan to Network Address Book (up to 32 destinations)				
	WSD scanning				
Scanning Solutions	1				
Xerox® Scan to PC Desktop® SE Small Business Edition (1-seat license)	A desktop and server-based offering that provides document imaging, archiving, editing and organization tools • Nuance PaperPort – image viewing and file management software • Nuance OmniPage (for desktop / dient installation) – OCR and file format conversion software • Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox [®] WorkCentre to individual desktops.				
	For more information, visit www.xerox.com/scan2pcSE.				
Security					
Security Features	Secure HTTPS (SSL, Secure LDAP) IPsec 802.1X Authentication Network Authentication IPv6 SNMPv3 IP Filtering Secure Print				
	Secure Fax Receive				
Wi-Fi Security					
	Authentication Method	Encryption	Productivity Kit		
	Open WPA PSK WPA PSK / WPA2 PSK	WEP 64 / 128 ASCII / HEX TKIP AES	No		
	WPA Enterprise	ТКІР	Yes		
	 WPA Enterprise / WPA 2[™] Enterprise WPA Enterprise Authentication Method options: PEAPVO MS-CHAPV2 EAP-TLS EAP-TTLS PAP EAP-TTLS CHAP 	AES			
Device Management					
Xerox [®] CentreWare [®] Web					
	 A Web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system Works with any SNMP-managed printer from any manufacturer Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management 				
Xerox [®] CentreWare [®] Internet Servi	ices – Integrated Device Web Page				
Device Status	Web server embedded • Tray status / contents • Consumables status				
Print Queue Viewing	Complete job print queue management – hold, release, promote and delete				
Job Submission	Print-ready files (PS, PCL®, TIFF, PDF) Output feature selection				
Device Administration	Allows simple, remote installation setting of configuration options and management of the device				
Browsers	Microsoft® Internet Explorer® 7 Firefox® version 4 and above				
Xerox® Mobile Solutions and Apps					
Xerox [®] Mobile Express Driver [®]	The Xerox [®] Mobile Express Driver is a single, universal printer driver that can be downloaded to a PC and used to print to virtually any PostScript device on the network, including printers made by other manufacturers. Instead of downloading individual printer drivers for each product in each office, users can download the single, simple, Mobile Express Driver.				
Apple [®] AirPrint™	Print email, photos and important office documents directly from an Apple iPhone® or iPad® with no drivers to install and no cables to connect. With AirPrint, an iPhone or iPad automatically locates and connects to the AirPrint-enabled device over the office Wi-Fi network.				
Google Cloud Print™	Google Cloud Print connects print devices to the web, enabling users to print the applications they use every day from smartphones, tablets, Chromebook™ notebook computers and any other web-connected device.				
Xerox [®] Print Service Plug-in for Android™ (Free at Google Play [™] Store)	The Xerox [®] Print Service Plug-in for Android KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. You can easily print photos, Web pages and documents when your mobile device is connected to ConnectKey-enabled multifunction printers using a wireless network. A robust print option set includes two-sided printing, stapling and secure code release. A free download is available from the Google Play [™] store.				

Xerox® Wireless Print Solutions Adapter (Optional)	 The Xerox[®] Wireless Print Solutions Adapter seamlessly connects your Xerox[®] printer or MFP to modern mobile and desktop workflows, regardless of your office environment. The Xerox[®] Wireless Print Solutions Adapter is your choice when: Your printer or MFP is not connected to a network but you want the ability to print from mobile devices. You need to bridge Wi-Fi connectivity with a traditional hardwire network. You want Google Cloud Print[™] 2.0 (print device requires Adobe[®] PostScript[®] compatibility) or Mopria[®] capabilities. You want NFC tap-to-pair capabilities (requires the Xerox[®] Print Service Plug-in for Android). You own a Xerox[®] printer or MFP without embedded Apple[®] AirPrint[™] support and want to add AirPrint compatibility (requires PostScript compatibility. The Xerox[®] devices listed below that do not natively support AirPrint.) You want Wi-Fi Direct, which lets you connect your computer or mobile device to your printer or MFP wirelessly without the need for an access point or existing Wi-Fi network. You need performance that comes from the cutting-edge Wi-Fi 802.11ac standard, which ensures data transfer that's almost twice as fast as existing 802.11n devices. You need 256-bit encryption and advanced wireless security protocols, including WPA2[™] Enterprise, HTTPS, and industry-standard 802.1X authentication. For more information, visit www.xerox.com/WPSA. 				
Device Specifications					
Duty Cycle					
	Up to 110,000 pages per mor	th ³			
Recommended Monthly Print Volu	ume				
	Up to 12,000 pages per mont	h ⁴			
Power Consumption					
110 to 127 VAC, 50 / 60 Hz, 11A c	or 220 to 240 VAC, 50 / 60 Hz,	5A			
Continuous Printing	698 W	698 W			
Ready (Standby) Mode	59 W	59 W			
Energy Saver Mode (Sleep)	4 W	4 W			
Environment					
Warm-up Time	UI ready: <20 seconds First page printed: <20 second	UI ready: <20 seconds First page printed: <20 seconds			
Temperature Range	59°-82° F / 15°-28° C				
Humidity	20-70%				
Sound Pressure Levels					
Printing / Copying	56 dB(A)				
Standby	30 dB(A)	30 dB(A)			
Energy Save Mode	0 dB(A)	0 dB(A)			
Sound Power Levels					
Printing / Copying	7.48 B(A)				
Standby	5.3 B(A)				
Dimensions and Weights (Unpackaged)	Width	Depth	Height	Weight	
WorkCentre 3615DN	19.5 in. / 495 mm	19.4 in. / 492 mm	21.7 in. / 549 mm	47.4 lb. / 21.5 kg	
550-sheet Feeder	17 in. / 432 mm	18.3 in. / 465 mm	3.7 in. / 94 mm	7.7 lb. / 3.5 kg	
Stand	17.4 in. / 442 mm	18.5 in. / 470 mm	15.4 in. / 390 mm	29 lb. / 13.3 kg	
Dimensions and Weights (Package	ed)				
WorkCentre 3615DN	24.6 in. / 626 mm	19.4 in. / 618 mm	27.7 in. / 703 mm	58.6 lb. / 26.6 kg	
550-sheet Feeder	21.1 in. / 535 mm	29.7 in. / 754 mm	9.2 in. / 234 mm	11.5 lb. / 5.0 kg	
Stand	20.3 in. / 515 mm	20.1 in. / 510 mm	9.1 in. / 230 mm	33 lb. / 15.4 kg	
Certifications					
	UL 60950-1:2007 / CSA 60950-1-07+A1:2011, FDA / CDRH – Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006 / 95 / EC, EN 60950-1, 1st Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004 / 108 / EC, EN 55022, Class A, RoHS Directive 2011 / 65 / EU, WEEE Directive 2002 / 96 / EC, ENERGY STAR® qualified, Citrix Ready®, Blue Angel To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.				

What Comes in the Box				
	WorkCentre 3615 Multifunction Printer Toner cartridge (5,900 page capacity ⁵) Drum cartridge (68,000 page capacity ⁶) Quick Installation Guide, Quick Use Guide, Driver CD, Documentation CD (User Manual, System Admin. Guide) Power cable Fax cord			
Supplies and Options	Description	Order Number		
Standard Capacity Toner Cartridge	5,900 impressions ⁵	106R02720		
High-Capacity Toner Cartridge	14,100 impressions ⁵	106R02722		
Extra-high Capacity Toner Cartridge	25,300 impressions ⁵	106R02731		
Drum Cartridge	68,000 impressions ⁶	113R00773		
Options	Description	Order Number		
550-sheet Feeder	Adjustable up to A4 / legal	497K13630		
Productivity Kit	Includes 4 GB device memory, expanded Secure Print, Saved Print, expanded Job Collation, Security Certificates Storage, Font / Form / Macro Storage	497K13650		
Stand	Adds storage capacity for supplies, device stability, mobility and 15.4 in. of height	497K13660		
Wireless Networking Adapter	Expand workflow options for your Xerox® equipment	097504409		

¹ Paper capacities are based on 20 lb / 75 gsm stock. Capacities will vary with different weight stocks.

² Analog phone line required.

³ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

⁴ Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

⁵ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

⁶ Approximate pages. Declared Yield Drums based on an average job size of 3 pages A4/letter size. Drum yield will vary based on job run length, media type, size, weight, orientation and usage patterns.

