

XEROX®

Technology | Document Management | Consulting Services

Phaser® 6110MFP



print | copy | scan | fax

# Your **complete** office solution



# Phaser® 6110MFP

Finally a colour multifunction system that fits your office – and your budget. Convenient, colourful and extremely cost-effective, the Xerox Phaser 6110MFP gives you the features you want for your busy office.



## More for less

It's an all-in-one package that includes all the tools you need – print, copy, scan, fax – at one great price.

- Why buy individual devices, when you can get the right combination of office functions in one? The 6110MFP/B model has the three essentials: print, copy and scan. The 6110MFP/S adds networking and the 6110MFP/X model adds networking, plus fax capability.
- Consolidating your office tools into one unit will streamline maintenance and everyday use, and save precious office space.
- Reduce printing costs by taking advantage of cost-saving features like toner-saver mode, N-up printing and manual two-sided printing.
- An energy saver mode substantially conserves electricity when not in use.

## Convenient

From installation to everyday use, the Phaser 6110MFP is designed to make office life more efficient.


- You won't believe how small and lightweight a colour multifunction device can be. It will fit right on your desktop or into tight office spaces.
- Set up and everyday use are extremely simple – 4 mouse clicks for a typical installation is all it takes. Toners are located behind the front panel for easy replacement by users.
- Fully network-ready (6110MFP/S and 6110MFP/X) so that it is accessible to everyone on the office network regardless of platform (PC, Mac, Linux). Handy front-access USB port for direct printing from a USB memory device. Also PictBridge compatible.
- Very quiet operation – making it a great fit for your office environment.
- Xerox CentreWare IS embedded web server (6110MFP/S and 6110MFP/X) allows you to manage, configure and troubleshoot the device from anywhere using a web browser.





Address Book allows you to store fax numbers and email addresses.

Print files stored on a USB memory device.



Store frequently-dialed fax numbers and enter them with the touch of a few buttons.

All functions are available in colour.

Image shown is the 6110MFP/X control panel.

## Affordable Colour

Get an unmatched combination of colour and ease-of-use features.

- Keeps up with your office pace with print and copy speeds up to 16 ppm black-and-white, 4 ppm colour.
- A generous 128 MB of memory allows it to handle complex colour print jobs effortlessly.
- All functions are colour-enabled, including colour scan to email and colour fax.
- Easily scan hardcopy into digital documents and distribute them anywhere: email, USB memory device and directly to an application on your desktop. We've included Nuance® PaperPort® software, at no extra charge, to convert scanned documents to editable files.
- The ID copy feature allows you to copy both sides of an ID document onto one side of paper. The ability to print watermarks, posters and preprinted forms in colour opens up more possibilities.

## Designed for ease of use

- 1 Using the Automatic Document Feeder (standard on 6110MFP/S and 6110MFP/X), you can load up to 50 sheets of paper for one job.
- 2 Platen Cover is standard on the 6110MFP/B model.
- 3 Use the single-sheet bypass tray for heavy paper, envelopes, labels, postcards and custom sized media.
- 4 The standard 150-sheet paper tray feeds 16 to 43 lb. bond / 60 to 163 gsm.
- 5 Optional additional tray (available on 6110MFP/S and 6110MFP/X) adds 250 sheets of input capacity for a total of 400 sheets.
- 6 USB Memory Port allows use of USB flash memory devices. PictBridge compatible.





For more information, please contact your local Xerox Sales Representative or visit us at [www.xerox.com/office](http://www.xerox.com/office)



	Phaser 6110MFP/B	Phaser 6110MFP/S	Phaser 6110MFP/X
<b>Speed</b>	Up to 17 ppm (letter), 16 ppm (A4) Black-and-White / 4 ppm Colour (letter/A4)		
<b>Duty Cycle</b>	Up to 24,200 pages / month		
<b>Paper Handling</b>	<b>Paper input</b> Standard <b>Platen Cover</b> <b>Automatic Document Feeder:</b> 50 sheets; Size: 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 148 mm to 216 x 356 mm <b>Bypass Tray:</b> 1 sheet; Custom sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm <b>Tray 1:</b> 150 sheets; Custom sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm		
	Optional	NA	<b>Tray 2:</b> 250 sheets; Size: Selectable sizes from Letter to Legal / A6 to A4
<b>Paper output</b>	100 sheets		
<b>Copy</b>	<b>First-page-out time</b> As fast as 18 seconds Black-and-White / 45 seconds Colour As fast as 18 seconds Black-and-White / 36 seconds Colour		
<b>Copy features</b>	Collation, Reduce/Enlarge, 2-Up or 4-Up, Poster Copying, Clone Copying, Erase Background Images, ID Card Copy		
<b>Print</b>	<b>First-page-out time</b> As fast as 14 seconds Black-and-White / 26 seconds Colour		
<b>Memory</b>	128 MB		
<b>Processor / PDL</b>	300 MHz / Host Based		
<b>Connectivity</b>	USB 2.0	USB 2.0, 10/100 Base-TX Ethernet	
<b>Print features</b>	Manual 2-sided printing, Watermarks, Booklet Printing, Poster Printing, N-Up, Fit to Page, Scaling, Overlays, Cover Page, Collation		
<b>Scan</b>	<b>Scan destinations</b> Scan to PC, USB Memory Device Scan to Email, Scan to PC, USB Memory Device, Network Scan		
<b>Scan features</b>	PDF, JPEG, TIFF, Multi-page TIFF, Nuance® PaperPort® SE 10.0, Colour Scanning		
<b>Fax</b>	NA	Embedded Fax (33.6 Kbps with JBIG Compression)	
<b>Fax features</b>	NA	Fax Forward to Fax or Email, Secure Fax, Colour Fax, Incoming Fax Memory: 4 MB or 320 pages, Speed Dials: up to 240	
<b>Warranty</b>	One Year Warranty		

**Device Management**

CentreWare® IS Embedded Web Server\*, CentreWare Web\*, Xerox Status Monitor, Printer Setting Utility, SetIP\*

**Print Drivers**

Windows® NT 4.0/98/Me/2000/XP/Server 2003/Vista, Mac OS® X version 10.3-10.4, Linux: RedHat® 8.0-9.0, Fedora™ Core 1, 2, 3, 4, Mandrake 9.2-10.1, SUSE™ 8.2-9.2

**Media Handling**

Bypass Tray: 16 – 43 lb. bond to 60 lb. cover / 60 – 163 gsm  
 Tray 1 (standard): 16 – 43 lb. bond to 60 lb. cover / 60 – 163 gsm  
 Tray 2 (optional on 6110MFP/S and 6110MFP/X): 16 – 24 lb. bond / 60 – 90 gsm

\*6110MFP/S and 6110MFP/X only

Automatic Document Feeder: 12.5 – 32 lb. bond / 50 – 120 gsm  
 Media Types: Plain Paper, Envelopes, Labels, Card Stock, Transparencies

**Operating Environment**

Temperature: 59° to 90.5°F / 15° to 32.5°C  
 Humidity: -10 to 80% RH  
 Sound Pressure:  
 6110MFP/B: Printing: 49 dB(A)  
 Standby: 35 dB(A)  
 6110MFP/S and 6110MFP/X:  
 Printing: 47 dB(A)  
 Standby: 26 dB(A)  
 Sound Power:  
 Printing: 5.6 B  
 Standby: 3.4 B  
 Warm-up Time: Less than 35 seconds (from sleep mode)

**Electrical**

Power: 110 – 127 VAC, 50/60 Hz and 220 – 240 VAC, 50/60 Hz  
 Power Consumption: Average: 350 W  
 Power Saver Mode: Less than 30 W  
 ENERGY STAR® Compliant  
**Physical Dimensions (WxDxH)**  
 6110MFP/B: 16.2 x 13.9 x 13.7 in. / 413 x 353 x 347 mm  
 Weight: 37.7 lbs / 17.1 kg  
 6110MFP/S/X: 18.3 x 16.8 x 19.1 in. / 466 x 429 x 486 mm  
 Weight: 45.2 lb. / 20.5 kg

**Regulatory**

Listed to UL 60950-1/CSA 22.2 No. 60950-1-03. Class 1 Laser Product. FCC Part 15 Class B, CE marked in accordance with Low Voltage Directive, 73/23/EEC and EMC Directive, 89/336/EEC. CB Certified against IEC 60950, Section 508 ADA.

**Supplies**

Toner  
 Black: 2,000 pages<sup>1</sup> 106R01203  
 Cyan: 1,000 pages<sup>1</sup> 106R01206  
 Magenta: 1,000 pages<sup>1</sup> 106R01205  
 Yellow: 1,000 pages<sup>1</sup> 106R01204  
 (Ships with 1,500 pages<sup>1</sup> Black toner and 700 pages<sup>1</sup> CMY toner)

<sup>1</sup> Average standard pages. Declared yield based on 5% area coverage on A4/letter size paper. Yield will vary based on image, area coverage and print mode.

**Routine Maintenance Items**

Imaging Unit:  
 approx. 20,000 black pages<sup>2</sup> or  
 approx. 12,500 colour pages<sup>2</sup> 108R00721  
 Waste Toner Container:  
 approx. 5,000 images or  
 approx. 1,250 pages  
 (full colour 5% image) 108R00722

<sup>2</sup> Yield will vary based on job run length, media size and orientation.

