




Give your office the color it deserves



Our single-pass print technology has revolutionized color printing in the office. It's what drives the Phaser 6200 color laser printer to stunning new heights in speed and image quality. And makes it the easiest to use color laser printer ever built. With intelligent work-saving features and an economical price, the Phaser 6200 is a very smart choice for your office.



Phaser 6200 Color Laser Printer



image quality that gets you noticed

The Phaser 6200 laser print quality is fine-tuned to make you look good. Every element on your page – charts, text and photos – comes to life and communicates more effectively.

- 2400 dpi and true Adobe[®] PostScript[®] 3[™] makes your point with crisp, clean text and precise detailing. Image-enhancing Photo mode is available for stunning scanned images and photographs.
- Automatic, behind-the-scenes color matching helps the Phaser 6200 print colors more closely matching what you see on your screen.
- The single-pass print system delivers pin-point color registration, improving each page. Then adaptive calibration keeps colors pure and true over long print runs. Your corporate colors are the same from Monday's first proposal to the last memo on Friday night.



Phaser® 6200

Color Laser Printer



time-saving intelligence

When you connect a 6200 to your network, you can take advantage of Xerox CentreWare software. It provides quick and convenient access to a wealth of features, including printer and job status, in depth accounting information, email alerts, simplified printer installation and network administration.

Phaser installer makes installation a simple one-click process.

Dynamic driver interface provides real time printer status, automatically selects the correct tray, and learns office application settings.

Printer administrators will benefit from **CentreWare IS Embedded Web Server** to manage printers from anywhere using a web browser.

Instant pop-up messages appear on your monitor if any roadblocks arise during your print job, thanks to enhanced **PrintingScout**.

The smart 6200 can even trouble-shoot on its own. It has onboard **PhaserSMART**, a unique internet-based automated support system.

flexible paper handling

Reliable paper handling is a fine-tuned science at Xerox. You'll see the difference with the 6200's streamlined paper path and ability to feed a wide variety of media.

Use the 100-sheet multi-purpose tray for heavy paper up to 80 lb cover (216 gsm), envelopes, labels, business cards and other specialty projects.

Money-saving duplex option for fast two-sided printing.

The standard 500 sheet paper tray feeds 17 – 28 lb bond (64 – 105 gsm) and transparencies.

A high-capacity feeder, standard on our most productive configuration, adds 1000 sheets of input capacity for a total of 1600 sheets



the speed you need

Stay ahead of the business at hand with top speed printing. Efficient single-pass printing technology along with our powerful 500 MHz processor make the Phaser 6200 the ideal color printer for fast-paced offices.

- 16 ppm for the highest resolution color or for black only, because all colors are laid down in one pass for increased speed and precision.
- Driven by our fastest processor ever, a PowerPC processor running at 500 MHz, the 6200 powers through even the most complex jobs. Upgrade all the way to 512 MB RAM and add the available hard drive (10 GB minimum) when your print needs get really brutal.
- 15 seconds to your first page puts you pages ahead before the competition even gets started.
- With instant wake-up, the 6200 comes out of sleep mode—and even “off mode”—in seconds.

easiest to use color laser printer

The 6200 is designed to be the best fit for your office. The result is easy toner loading, uncomplicated operation, and trouble-free printing while working seamlessly in any network environment.

- Printer installation is literally a one-click process. And printer management is very intuitive for new users while providing a wealth of advanced features for network administrators.
- Toners come preloaded. And when they need to be replaced, just open the visible, easy-access compartment at the top of the printer.
- The space-saving design is all business, so the 6200 can fit conveniently where it is needed.
- A high duty cycle of up to 60,000 pages/month ensures plenty of muscle for inhouse production printing as either a standalone or networked printer.
- Your investment is backed by world-class service and support, a 1-year on-site warranty and the unmatched Xerox Total Satisfaction Guarantee.



need more information?

Find it at www.xerox.com/officeprinting

See it in action. Visit your Xerox reseller, or see a virtual demo: www.xerox.com/officeprinting/6200demo

Networking. Our web site is loaded with details on network cards, protocols, printer management, and color matching: www.xerox.com/officeprinting/networking

Services & Support. Learn about Total Satisfaction ServicesSM award-winning service: www.xerox.com/officeprinting/support

Get color connected. Sneak a peek at Color Connection (exclusively for our printer owners), which includes access to a special web site, newsletters, tutorials, product updates, and great ideas: Colorconnection.xerox.com



Configurations

| | 6200B | 6200N | 6200DP | 6200DX |
|-----------------------------------|---|------------------|--------------------------------------|---|
| Performance | 16 ppm in Full Color / 16 ppm Black | | | |
| Print speed | 15 seconds in full color | | | |
| First page out | 15 seconds in full color | | | |
| Memory (Std / Max) | 64 / 512 MB RAM | 128 / 512 MB RAM | 256 / 512 MB RAM | |
| Processor | 500-MHz PowerPC processor, Adobe PostScript 3 – 136 fonts, PCL5c – 54 fonts | | | |
| Internal hard disk | Optional | | Standard | |
| Maximum duty cycle | Up to 60,000 pages/month | | | |
| Print Quality | 600 x 600 dpi | | | |
| Maximum resolution | 600 x 600 dpi | 2400 dpi | 2400 dpi, 1200 x 1200 dpi Photo Mode | |
| Networking | Bi-directional Parallel, USB | | | |
| Network connectivity | 10/100BaseTX Ethernet, Bi-directional Parallel, USB | | | |
| Paper Handling | Optional | | Standard | |
| Automatic 2-sided printing | Optional | | Standard | |
| Paper input capability | 500-sheet standard tray, 100-sheet multi-purpose tray | | | |
| Standard | | | | 1000-sheet high capacity feeder |
| Productivity | Smart trays, Run black, Custom page sizes, Phaser Installer, Intelligent Ready | | | |
| Standard features | Embedded Web Server, Remote printing, E-mail alerts, Enhanced PrintingScout, PhaserSMART, Job Accounting, Usage Analysis Tool | | | |
| | | | | Job Pipelining with Compression |
| | | | | Proof/Secure/Saved print, PDF-direct, Booklet Printing, Extended font storage |
| Warranty | One year on-site, Xerox Total Satisfaction Guarantee | | | |

Media and Supplies

| Xerox Phaser Professional Printing Paper | |
|--|-------------|
| Phaser Premium Color Printing Paper | |
| 500 sheets, 24 lb/90 gsm bond | |
| A/Letter (8.5 x 11 in) | 016-1368-00 |
| A4 (210 x 297 mm) | 016-1369-00 |
| Phaser Premium Cover Paper | |
| 100 sheets, 60 lb/160 gsm cover | |
| A/Letter (8.5 x 11 in) | 016-1823-00 |
| A4 (210 x 297 mm) | 016-1824-00 |
| Phaser Glossy Coated Paper | |
| 100 sheets, 100 lb/148 gsm text | |
| A/Letter (8.5 x 11 in) | 016-1704-00 |
| A4 (210 x 297 mm) | 016-1705-00 |
| Phaser Premium Business Cards | |
| 25 sheets, 70 lb/190 gsm, 10 cards/sheet | |
| A/Letter (8.5 x 11 in) | 016-1898-00 |
| A4 (210 x 297 mm) | 016-1899-00 |
| Phaser 6200 Premium Transparency Film | |
| 50 sheets | |
| A/Letter (8.5 x 11 in) | 016-1948-00 |
| A4 (210 x 297 mm) | 016-1949-00 |
| NEW! Phaser Digital Photo Paper | |
| 25 sheets, 70 lb/192 gsm bond | |
| A/Letter (8.5 x 11 in) | 016-2009-00 |
| A4 (210 x 297 mm) | 016-2010-00 |
| Phaser Color Printing Labels | |
| 100 sheets, 108 lb/176 gsm label | |
| A/Letter, 30/sheet | 016-1812-00 |
| A/Letter, 6/sheet | 016-1813-00 |
| A4, 14/sheet | 016-1814-00 |
| A4, 8/sheet | 016-1815-00 |
| NEW! Phaser CD/DVD Labels and Inserts | |
| 20 sheets, 1 insert/sheet | |
| 10 sheets, 1 label/sheet | |
| A/Letter (8.5 x 11 in) | 016-2011-00 |
| A4 (210 x 297 mm) | 016-2026-00 |
| NEW! Phaser CD/DVD Label Applicator | |
| | 016-1885-00 |
| NEW! Phaser Premium Greeting Cards with Envelopes | |
| 25 sheets/envelopes, 70 lb/190 gsm | |
| A/Letter (8.5 x 11 in) | 016-1987-00 |
| A4 (210 x 297 mm) | 016-1988-00 |

Specifications

Network/Software

Printer management Xerox CentreWare Printer Management for Microsoft, Novell and Unix, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool (not available on non-networked model)
Font capabilities 136 Resident PS fonts and 45 PCL
Printer drivers Windows 95/98/Me, Windows NT 4.x, Windows 2000/XP, MacOS 8/9/X version 10.1, Novell NetWare 3.x/4.x/5.x/6.x, UNIX (Linux 5.2+, Sun OS 4.x Sun Solaris 2.4+, DEC, HP/UX 11.x, IBM AIX 4.2+, SGI, SCO)
Languages True Adobe® PostScript® 3™, PCL 5c emulation with automatic sensing and switching

Paper handling

Media input trays *Standard:* 500-sheet main tray, 100 sheet multi-purpose tray. *Optional:* 1000-sheet high-capacity feeder (standard on the 6200DX)
Media types *In all trays:* 17-28 lb. (64-105 gsm) bond and heavy plain papers and Phaser 6200 transparencies. *Automatic 2-sided printing:* 20-28 lb. (75-105 gsm) bond. *Multi-Purpose Tray:* papers up to 80 lb. (216 gsm) cover, coated, glossy or Phaser Photo paper, labels, envelopes, business cards, greeting cards, CD/DVD label/inserts.
Media sizes A/letter, legal, executive, statement, US folio, A4, A5, A6, B5 JIS, ISO B5 and Custom [size range: 3.5–8.5 in. (89–216 mm) x 5.5–14 in. (140–356 mm)]

For the location of your nearest Xerox reseller, or for more information, visit our Web site or call: United States and Canada **1-877-362-6567**, other regions see your local Xerox or Fuji/Xerox representative.

Special features

Enhanced PrintingScout instantly displays pop-up Help if attention is needed throughout print job.
Phaser Installer automatically gets you printing in seconds.
PhaserSMART trouble-shoots via an automated internet-based support system.
Productivity tools: Secure Print*, Proof Print*, Saved Print*, Booklet printing, Negative and mirror images, Scaling, Auto Fit, Watermarks, Custom size paper, Run black, Cover pages, Collation printing*, Remote printing, Separation pages, N-up printing, PDF-direct printing*, Saved Job Repository, MailLinX E-mail Alerts (*Requires hard disk)

Color controls

Color standards PANTONE®-approved solid-color simulations, Adobe PostScript device-independent color, CIE international color standards, and support for ICC and Apple® ColorSync® color management systems
Print quality modes: Draft, Standard, Enhanced, Photo
Color correction modes: Automatic, sRGB Display, sRGB Vivid, None, SWOP Press, Euroscale Press, Commercial Press, SNAP Press, Black and White, Use Printer Front Panel Setting

Operating

Dimensions width: 17.3 in. (439 mm), height: 17.5 in. (445 mm), depth: 23.2 in. (590 mm), weight: 80 lb. (36 kg)
Environment Temperature: Storage: -4° to 122° F (-20° to 50° C), Operating: 50° to 90° F (10° to 32° C). Relative Humidity: Storage: 10% to 95%, Operating: 10% to 85%. Noise Level: 5.3 B standby, 7.0 B running.
Electrical Model: 110-127 VAC, 50/60 Hz, Model: 220-240 VAC, 50/60 Hz. Consumption: Printing: 400 Watts, Standby: 100 Watts, Power Saver: 25 Watts, ENERGY STAR® qualified printer.
Regulatory FCC Part 15, Subpart B, Listed to UL 1950 and Certified to CSA—C22.2 No. 950, CE Mark applicable to directives 73/23/EEC and 89/336/EEC, Class 1 Laser Product, EN 55022

Total Satisfaction Services

1-year On-site Warranty, online web technical support and telephone support. Innovative service offerings include optional extended Service Agreements and custom training for your internal Help Desk. The Phaser 6200 printer is backed by the Xerox Total Satisfaction Guarantee.



Adobe PostScript® 3



Designed for Microsoft® Windows® 2000 Professional



Mac



TekColor



ColorSync®



TOTAL SATISFACTION SERVICES



WorldSet



ENERGY STAR



GREEN WORLD ALLIANCE

Consumables

| Standard-Capacity Toner Cartridges | |
|---|-------------|
| Cyan (3,000 pages) | 016-2001-00 |
| Magenta (3,000 pages) | 016-2002-00 |
| Yellow (3,000 pages) | 016-2003-00 |
| Black (3,000 pages) | 016-2004-00 |
| High-Capacity Toner Cartridges | |
| Cyan (8,000 pages) | 016-2005-00 |
| Magenta (8,000 pages) | 016-2006-00 |
| Yellow (8,000 pages) | 016-2007-00 |
| Black (8,000 pages) | 016-2008-00 |
| Additional Consumables | |
| Imaging Unit (30,000 pages) | 016-2012-00 |
| Fuser (110 Volt) (60,000 pages) | 016-2014-00 |
| Fuser (220 Volt) (60,000 pages) | 016-2015-00 |
| Transfer Roller (15,000 pages) | 016-2013-00 |
| capacities are based on 5% coverage on an A-size page | |

Accessories

| Internal Hard Drive (10 GB minimum) 6200H/D/A | |
|---|----------|
| Additional Memory | |
| 64 Mbytes | ZMD64 |
| 128 Mbytes | ZMD128 |
| 256 Mbytes | ZMD256 |
| High-Capacity Feeder, 1,000 sheets | 6200HCF |
| Printer Cart | ZCARTD/A |
| Upgrade Kits | |
| Phaser 6200B to 6200N Upgrade | 6200FN/A |
| Phaser 6200N to 6200DP Upgrade | 6200FP/A |

Copyright © 2002 XEROX CORPORATION. All rights reserved. Contents of this publication may not be reproduced in any form without permission of XEROX CORPORATION. Xerox®, The Document Company®, Phaser®, CentreWare® and PhaserSMART™ are registered trademarks of XEROX CORPORATION. Total Satisfaction Services is a service mark of XEROX CORPORATION. Tektronix® is a registered trademark of Tektronix, Inc. licensed to XEROX CORPORATION. All other trademarks are the property of their respective manufacturers. PANTONE® Colors generated may not match PANTONE-identified standards. Consult current PANTONE publications for accurate color. PANTONE® and other Pantone, Inc. trademarks are the property of Pantone, Inc. The information in this brochure is subject to change without notice. 5/02 62XBR-01UA