Xerox® Phaser® 6500 and Xerox® WorkCentre® 6505 A4 Colour Printer and Colour Multifunction Printer



Xerox[®] Phaser[®] 6500 Colour Printer and Xerox[®] WorkCentre[®] 6505 Colour Multifunction Printer

The right colours, the easy way.



Xerox[®] Phaser[®] 6500 Colour Printer and Xerox[®] WorkCentre[®] 6505 Colour Multifunction Printer

The right solution for today's pace of business. Your busy workteam needs a value-packed colour device that gets the job done with the rare combination of outstanding print quality, unparalleled simplicity, and day-in, day-out dependability. Introducing the Phaser 6500 and WorkCentre 6505.



The colours your business needs

The Phaser 6500 colour printer and WorkCentre 6505 colour multifunction printer give your important documents a powerful, colourful boost.

- **Outstanding print quality.** A print resolution of up to 600 x 600 x 4 dpi makes your printed communications stand out and grab attention.
- True Adobe[®] PostScript[®] 3[™]. Count on consistently precise print jobs with bright, true colours and superior graphics.
- Advanced toner technology. Xeroxexclusive EA Toner uses particles engineered for uniform size and shape, producing superior image detail and line definition, and text that's sharp and clear.
- Always the right colour. PANTONE[®] Colour approved solid-colour simulations and Xerox colour correction technology ensure results that match your expectations.

Ready to help

We designed the Phaser 6500 and WorkCentre 6505 as simple colour devices that support single users and small workteams.

- **Print and go.** Work quickly with print speeds of up to 23 ppm for colour and black and white.
- More productivity for more people. Connect and go, thanks to built-in networking and seamless compatibility with mixed-user environments, including PC, Macintosh and Linux.
- Easy management. With Xerox® CentreWare Internet Services, remote device administration is handled with ease right from your computer's browser.
- **Out of colour toner?** Our Run Black feature lets you continue printing with black until you can replace toner.
- Total peace of mind. Our standard one-year on-site warranty.

Easy on your environment

The Phaser 6500 and WorkCentre 6505 help you meet today's environmental challenges.

- Print more, use less. Whether you choose manual two-sided printing or upgrade to convenient automatic duplexing, you'll conserve paper for reduced costs and lowers environmental impact.
- **Toner-only cartridges.** With minimal packaging, our toner-only cartridges allow for 80% less waste than comparable colour devices using integrated print cartridges.
- A perfect fit. Both devices feature a small footprint, which allows for easy integration within your work space, whether on your desk or in a shared location.
- The quiet partner. Engineered for extraquiet operation to minimise impact on busy offices.
- **Consolidate and save.** The value-packed WorkCentre 6505 colour multifunction printer will save on energy and supplies costs by combining the functions of multiple devices into one.

Phaser® 6500 Quick Facts

- Print up to 23 ppm colour and black and white
- 600 x 600 x 4 dpi
- Optional automatic two-sided printing*
- Powerful 400 MHz processor
- Robust 40,000 pages/month duty cycle
- 256 MB memory, expandable to 768 MB
- First-page-out time of 13 seconds colour, 12 seconds black and white
- WxDxH:

404 x 426 x 416 mm

* Standard on DN configuration

Productivity, accelerated. The Xerox[®] WorkCentre[®] 6505 colour multifunction printer builds on the outstanding print performance found in the Xerox[®] Phaser[®] 6500, delivering a host of powerful productivity tools designed to make your daily office tasks more efficient than ever.

1

The WorkCentre 6505 includes an intuitive front panel for configuring device settings and programming jobs.

2

A 35-sheet automatic document feeder handles media sizes from 139.7 x 139.7 mm to 216 x 356 mm

8

A front-side USB port allows users to quickly print from or scan to any standard USB memory device.

4

Powerful scanning capabilities include Scan to Email, Network Scanning, Direct Scan to Applications including Optical Character Recognition, and Scan to USB memory device.

6

Standard copy features include ID Card Copy, N-up, auto fit, cloning, collate and more.

6

Send faxes from the network using LAN Fax, or take advantage of full walkup fax features such as speed dial, remote receive and fax broadcast.

0

A standard 533 MHz processor and 256 MB memory (expandable to 768 MB) let the WorkCentre 6505 easily handle a heavy workload—even a steady stream of pages with graphics, photos and charts.

Optional 250-sheet paper tray increases capacity to 500 sheets—enough to load a full ream of paper.



WorkCentre® 6505 Quick Facts

- Print up to 23 ppm colour and black and white
- 600 x 600 x 4 dpi
- Optional automatic two-sided printing*
- Powerful 533 MHz processor
- Robust 40,000 pages/month duty cycle
- 256 MB memory, expandable to 768 MB
- First-page-out time of 12 seconds colour, and black and white

WxDxH:

430 x 544 x 584 mm * Standard on DN configuration



Xerox[®] Phaser[®] 6500 and Xerox[®] WorkCentre[®] 6505

	ons	Phaser 6500N	Phaser 6500DN	WorkCentre 6505N	WorkCentre 6505DN	
Speed		Up to 23 ppm colour and black and white				
Duty Cycle		Up to 40,000 pages / month ¹				
Paper Handling Paper Input Standard		NA			Automatic Document Feeder (ADF): 35 sheets: Custom Sizes: 139.7 x 139.7 mm to 216 x 356 mm	
		Manual Feed Slot: 1 sheet; Custom sizes: 76 x 127 mm to 216 x 356 mm				
		Tray 1: 250 sheets; Custom sizes: 76 x 127 mm to 216 x 356 mm Tray 2: 250 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm				
	Optional					
Paper Output		150 sheets face down				
Automatic Two-sided Prin	ting	Optional	Standard	Optional	Standard	
Print First-page-out Time		As fast as 13 seconds colour	/ 12 seconds black and white	As fast as 12 seconds colou	rr / 12 seconds black and white	
Resolution (max)		Up to 600 x 600 x 4 dpi				
Processor		400 MHz		533 MHz	533 MHz	
Memory (std / max)		256 MB / 768 MB				
Connectivity		USB 2.0, 10/100/1000 Base-T Ethernet				
Page Description Languages		Adobe® PostScript® 3™, PCL® 6 emulation				
Print Features Standard		PANTONE® Colour approved solid-colour simulations, N-up, Fit to page, Booklet printing, Run black, Covers/Separators ² , Poster printing ² , Watermarks ² , Overlays ² Banner sheets ² , Draft mode ²				
	0 11 12	Secure print, Proof print, Personal print, Saved print, RAM collation				
	Optional ³	Secure print, Proof print, Pers	sonal print, Saved print, RAM collation			
Mobile Printing	Optional ³ Optional	• • • •		Cloud Print™ v2.0 and Mopria®. For ma	ore information, visit www.xerox.com/WPSA)	
Mobile Printing Copy First-copy-out Tim	Optional	• • • •		· · ·	ore information, visit www.xerox.com/WPSA) our / 13 seconds black and white	
-	Optional	Xerox [®] Wireless Print Solutio		· · ·		
Copy First-copy-out Tim	Optional	• • • •		As fast as 20 seconds colo 600 x 600 dpi 1 sided to 2 sided copying		
Copy First-copy-out Tim Copy Resolution	Optional	Xerox [®] Wireless Print Solutio		As fast as 20 seconds colo 600 x 600 dpi 1 sided to 2 sided copying Auto fit, Cloning, Collation 33.6 Kbps with MH/MR/M Lighter / darker, Polling, Re protection, Fax forwarding	our / 13 seconds black and white 9 ⁴ , Reduce/enlarge (25 % -400 %), N-up copying, n, ID Card Copy, Edge erase	
Copy First-copy-out Tim Copy Resolution Copy Features Fax	Optional	Xerox [®] Wireless Print Solutio		As fast as 20 seconds cold 600 x 600 dpi 1 sided to 2 sided copying Auto fit, Cloning, Collation 33.6 Kbps with MH/MR/M Lighter / darker, Polling, Re protection, Fax forwarding 200 speed dials, 6 group of (Send) Scan to Email (local addree	our / 13 seconds black and white g ⁴ , Reduce/enlarge (25 % -400 %), N-up copying n, ID Card Copy, Edge erase IMR/JBIG/JPEG compression, Secure fax receive ermote receive (with external phone), Junk fax g, Delay send, Broadcast, Address book (up to dials), Resolution up to 400 x 400 dpi, LAN Fax ess book or LDAP integration), Network Scanning (server or computer), Direct Scan to Application	
Copy First-copy-out Tim Copy Resolution Copy Features Fax Fax Features ⁵ Scan	Optional	Xerox [®] Wireless Print Solutio		As fast as 20 seconds cold 600 x 600 dpi 1 sided to 2 sided copying Auto fit, Cloning, Collation 33.6 Kbps with MH/MR/M Lighter / darker, Polling, Re protection, Fax forwarding 200 speed dials, 6 group of (Send) Scan to Email (local addrevia frequencies) uincluding OCR, USB Memory Up to 1200 x 1200 dpi ret PDF / JPEG / TIFF (single of Desktop SE (includes OCR	our / 13 seconds black and white g ⁴ , Reduce/enlarge (25 % -400 %), N-up copying, , ID Card Copy, Edge erase IMR/JBIG/JPEG compression, Secure fax receive ² ermote receive (with external phone), Junk fax g, Delay send, Broadcast, Address book (up to dials), Resolution up to 400 x 400 dpi, LAN Fax ess book or LDAP integration), Network Scanning (server or computer), Direct Scan to Application	
Copy First-copy-out Tim Copy Resolution Copy Features Fax Fax Features ⁵ Scan Scan Destinations	Optional	Xerox® Wireless Print Solutio		As fast as 20 seconds cold 600 x 600 dpi 1 sided to 2 sided copying Auto fit, Cloning, Collation 33.6 Kbps with MH/MR/M Lighter / darker, Polling, Re protection, Fax forwarding 200 speed dials, 6 group of (Send) Scan to Email (local addrer via FTP (server) and SMB including OCR, USB Memory Up to 1200 x 1200 dpi re PDF / JPEG / TIFF (single of Desktop SE (includes OCR PowerPoint®. For more information	our / 13 seconds black and white g ⁴ , Reduce/enlarge (25 % -400 %), N-up copying, , ID Card Copy, Edge erase IMR/JBIG/JPEG compression, Secure fax receive emote receive (with external phone), Junk fax J. Delay send, Broadcast, Address book (up to dials), Resolution up to 400 x 400 dpi, LAN Fax ess book or LDAP integration), Network Scanning (server or computer), Direct Scan to Application: ory Device solution, 24-bit colour / 8-bit greyscale, and multi-page) / XDW, Xerox [®] Scan to PC , file conversion to Microsoft [®] Word [®] ,Excel [®] and	

Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Accessed via PCL driver; ³ Requires optional Productivity Kit with 512 MB memory; ⁴ requires DN model or optional duplex unit; ⁵ Analogue phone line required

Device Management

Xerox® CentreWare® Internet Services, CentreWare Web, Xerox® PrintingScout®, Email alerts , Apple® Bonjour

Print Drivers

Windows® XP, Vista, Server 2003, Server 2008, 7; Mac OS® version 10.5 and higher; Linux, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Media Handling

Automatic Document Feeder**: 50 – 125 gsm; Manual Feed Slot and Trays: 60 – 216 gsm; Media types: Plain paper, glossy, business cards, envelopes, labels, cardstock

Operating Environment

Temperature: Storage: -20° to 40° C; Operating: 10° to 32° C; Humidity: 10% to 85%; Sound pressure levels: 6500: Printing (Enhanced): 53 dB(A), Standby: 25 dB(A); 6505: Printing (Enhanced): 52 dB(A), Standby: 22 dB(A); Sound power levels: Printing (Enhanced): 6500: 6.73 B, Standby: 3.86 B; 6505: 6.63 B, Standby: 3.65 B; Warm-up time (from sleep mode): as fast as 31 seconds

Electrical

Power: 110-127 VAC, 50/60 Hz or 220-247 VAC, 50/60 Hz; Power consumption: 6500: Standby: 55 W, Printing: 375 W, Sleep: 15 W; 6505: Standby: 65 W, Printing: 425 W, Sleep: 18.4 W; ENERGY STAR® qualified

Dimensions (WxDxH)

6500N/DN: 403.5 x 425.5 x 415.6 mm; Weight: 6500N: 18.2 kg; 6500DN: 19.4 kg; 250-sheet feeder: 400 x 457 x 107 mm; Weight: 4.4 kg; 6505N/DN: 430 x 544.2 x 584.4 mm; Weight: 6505N: 28.4 kg; 6505DN: 29.6 kg; 250-sheet feeder: 419.2 x 518 x 107 mm; Weight: 4.5 kg

Certifications

FCC Part 15, Class B, FCC Part 686, UL 60950-1/CSA 60950-1-07, 2nd Edition, CE Mark applicable to Low Voltage Directive (2006/95/EC), EMC Directive (2004/108/EC), and R&TTE Directive (1999/5/EC) 6, GOST, NOM, GS Mark, Citrix Ready, Section 508 (compliant with minor exceptions), ENERGY STAR[®] qualified

Supplies

High-capacity Print Cartridges*:	
Black: 3,000 std. pages	106R01604
Cyan: 2,500 std. pages	106R01601
Magenta: 2,500 std. pages	106R01602
Yellow: 2,500 std. pages	106R01603
Standard-capacity Print Cartridges*:	
Cyan: 1,000 std. pages	106R01598
Magenta: 1,000 std. pages	106R01599
Yellow: 1,000 std. pages	106R01600
Options	
Options 250-sheet feeder for Phaser 6500	097504070
•	097S04070 097S04264
250-sheet feeder for Phaser 6500	
250-sheet feeder for Phaser 6500 250-sheet feeder for WorkCentre 6505	097S04264
250-sheet feeder for Phaser 6500 250-sheet feeder for WorkCentre 6505 Productivity Kit	097S04264 097S04269
250-sheet feeder for Phaser 6500 250-sheet feeder for WorkCentre 6505 Productivity Kit Duplex unit	097S04264 097S04269
250-sheet feeder for Phaser 6500 250-sheet feeder for WorkCentre 6505 Productivity Kit Duplex unit Wireless network adapter	097S04264 097S04269 097S04069

** Not available in Denmark and Switzerland



For more information, visit us at www.xerox.com/office

©2016 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Phaser®, WorkCentre® and Xerox eConcierge® are trademarks of Xerox Corporation in the U.S. and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. Updated 4/16 650BR-011C