


Phaser®
6700
Letter-size
Colour
Printer



Xerox® Phaser® 6700 Colour Printer

The new benchmark for
workgroup colour printing.



The Xerox® Phaser® 6700 colour printer accelerates workgroup productivity, giving you more time to focus on what matters most: the success of your business.

With the winning combination of exceptional image quality and blazing fast print speed, the Phaser 6700 takes your business or large workgroup to a new level of high-volume productivity. You get unbeatable colour accuracy on every business-critical document you print, with the added benefits of superior ease-of-use and renowned reliability that only come from Xerox.

Unrivalled Performance and Productivity

In the push to make your business rise above the competition, the Phaser 6700 colour printer raises the bar when it comes to print quality, performance and reliability.

- **Superior print quality.** The Phaser 6700 delivers true 2400 x 1200 dpi print resolution. Combine that with true Adobe® PostScript® 3™, and there's simply no other workgroup-class colour printer that makes your colour documents look as realistic as they were intended.
- **No sacrificing speed.** You get exceptional print quality plus incredible performance, with a colour and black and white print speed of up to 47 ppm.
- **Keep the busiest workgroups productive.** The 1.25 GHz processor and standard 1 GB system memory handle a steady stream of complex jobs with ease.
- **Your job, your priority.** Our Print Around feature lets you keep the work flowing by moving your job ahead of stalled documents in the print queue.
- **Heavy-duty durability.** The 120,000-page monthly duty cycle supports the heaviest office print volumes.

Easy in Your Office, Easy on the Environment

The Phaser 6700 colour printer combines helpful features engineered to make office life easier for a large group of users, with smart design considerations aimed at boosting your sustainability efforts.

- **Advanced touch screen interface.** The Phaser 6700 colour printer's state-of-the-art 4.3-inch colour touch-screen interface makes walk-up operation fast and extremely easy.
- **Helpful walk-up features.** Embedded help videos provide quick troubleshooting assistance right on the front panel.
- **Standard duplexing.** The Phaser 6700DN, DT and DX configurations come with standard automatic two-sided printing on media up to 220 gsm.
- **EA Toner.** Our EA Toner fuses at a much lower temperature, and reduces power consumption by up to 20% and CO₂ emissions by up to 35%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary paper.
- **Simply smarter.** The Phaser 6700 features Smart Trays – paper trays that alleviate guesswork by showing all available media types and sizes at print time.
- **Lower monthly energy bills.** The Phaser 6700 supports the highest ENERGY STAR® standards for power-saving.*

* DN, DT and DX configurations.

Peace of Mind Comes Standard

With industry-leading security technologies and unmatched reliability, you can depend on the Phaser 6700 colour printer for worry-free operation day after productive day.

- **State-of-the-art security.** The Phaser 6700 offers free 256-bit encryption using the FIPS 140-2 standard. You also get built-in support for IPv6, IPsec, secure HTTPS, and other industry-standard network security features.
- **Keep unauthorised eyes from sensitive documents.** The available Image Overwrite feature completely removes unneeded data from the Phaser 6700 printer's internal storage.
- **Print securely.** The optional Productivity Kit with Hard Drive includes the Secure Print feature, which holds private print jobs in the queue until they're released at the device by the job owner.
- **Engineered to keep performing.** The Phaser 6700 uses long-life consumables for extended, uninterrupted performance. Plus, in the unlikely event that a repair is needed, you're covered by an industry-leading one-year on-site warranty and the unmatched Xerox® Total Satisfaction Guarantee.
- **Print more for longer.** A maximum paper input of 2,900 pages and high-capacity toner cartridges keep the Phaser 6700 printing longer with fewer interruptions to reload supplies.
- **Configure once, deploy fleet wide.** No need to configure each printer individually. Device configurations can be cloned and distributed to all other Phaser 6700 colour printers.



Fast, Easy Walk-up Operation

The Phaser 6700 features a newly engineered touch screen interface with large, intuitive colour icons for easy navigation.

The Right Help, Right Away

Embedded help videos provide easy, step-by-step troubleshooting assistance right on the colour touch screen.

- 1 4.3-inch colour touch-screen user interface.
- 2 Fast, automatic two-sided printing is standard on all configurations except 6700N.
- 3 150-sheet multipurpose tray (standard) supports a wide range of media, from executive to card stock to envelopes, in weights up to 220 gsm/80 lb. cover.
- 4 550-sheet tray (standard) allows you to add a full ream of paper.
- 5 Two optional 550-sheet paper feeders provides added convenience and no-hassle media loading.
- 6 Add the 1,100-sheet high-capacity feeder and turn the Phaser 6700 into a convenient floor standing printer with a total paper capacity of 2,900 sheets.
- 7 Optional Finisher includes 1,000-sheet stacking and 50-sheet stapling.
- 8 Optional Productivity Kit with 160 GB hard drive.



Colour By Words: Intuitive Colour Enhancement


With Colour By Words, there is no need to go back to square one and manipulate source files. You can change the colour of one object or area without affecting the rest of the page. Simply select the desired colour modifications from a drop-down list and your printout is automatically adjusted.



Original photo not right? Use the Colour By Words drop-down list and choose "yellow-green colours a lot more green," and "red colours a lot more saturated." Picture-perfect results.

Xerox® Phaser® 6700 Quick Facts

- Print up to 47 ppm
- True 2400 x 1200 dpi
- Powerful 1.25 GHz processor
- Robust 120,000 pages/month duty cycle
- First page out time as fast as 8 seconds



Xerox® Phaser® 6700

Colour Printer



	Phaser 6700N	Phaser 6700DN	Phaser 6700DT	Phaser 6700DX
Speed	Up to 47 ppm colour / 47 ppm black and white			
Duty Cycle	Up to 120,000 pages / month ¹			
Paper Handling Paper Input	Standard	Tray 1 (MPT): 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm		
		Tray 2: 550 sheets; Custom sizes: 3.9 x 7.5 in. to 8.5 x 14 in. / 99 x 191 mm to 216 x 356 mm		
	Optional	Additional 550-sheet Tray: Custom sizes: 3.9 x 7.5 in. to 8.5 x 14 in. / 99 x 191 mm to 216 x 356 mm	Standard	Optional
		Additional 1,100-sheet Feeder: Custom sizes: 3.9 x 7.5 in. to 8.5 x 14 in. / 99 x 191 mm to 216 x 356 mm	Standard	Optional
Paper Output	Standard	500 sheets		
	Optional	Office Finisher: 1,000-sheet stacker, 50-sheet stapling		
Automatic Two-sided Printing	NA	Standard		
Print				
First-page-out Time	As fast as 8 seconds colour / 7 seconds black and white			
Resolution (max)	Up to 2400 x 1200 dpi			
Processor	1.25 GHz			
Memory (std / max)	1 GB / 2 GB			
Connectivity	10/100/1000Base-T Ethernet, USB 2.0, Optional external wireless, Apple Bonjour®			
Page Description Languages	Adobe® PostScript® 3™, PCL® 6 / PCL® 5c emulation, Direct PDF (with optional Productivity Kit)			
Print Features	Standard	Earth Smart driver settings, Colour By Words, Collation, Bi-directional driver, Smart Duplex, Layout/watermark		
	Optional	Productivity Kit: 160 GB hard drive: Print Around, Secure Print, Personal Print, Sample Set, Hard Disk Overwrite, Form/Font Storage		Standard
Security	SSLv3, IPsec, 802.1X Authentication, HTTPS, IPPS, SMTP Authentication, IPv6, SNMPv3, IP Filtering, 256-bit encryption, Image Overwrite ² , FIPS 140-2			
Warranty	One-year on-site warranty, Xerox® Total Satisfaction Guarantee			

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis. ² Requires Productivity Kit with Hard Drive.

Device Management

CentreWare® Internet Services, CentreWare Web, Email alerts, Cloning, PhaserSMART®, Job Accounting, Usage Analysis, Print Job Tracker, WebJet Admin Interface, Tivoli, Apple® Bonjour

Print Drivers

Windows® XP, 2003 Server, 2008 Server, Vista, 7; Mac OS® 10.5 and higher, Oracle® Solaris 9, 10, RedHat® Enterprise Linux 4/5, Fedora Core 11-13, SUSE® 11.x, IBM AIX 5™, HP-UX® 11.0/11.i, Novell® NetWare® 5.x, 6.x Open Enterprise Server

Font Capability

PostScript® Fonts: 173, PCL® Fonts: 94

Media Handling

Tray 1 (MPT): 16–40 lb. bond to 50–80 lb. cover / 60–220 gsm; Tray 2 and Additional 550-sheet trays: 16–40 lb. bond to 50–80 lb. cover / 60–220 gsm; 1,100-sheet Feeder: 16–40 lb. bond to 50–80 lb. cover / 60–220 gsm; Two-sided output: 16–40 lb. bond to 50–80 lb. cover / 60–220 gsm; Media types: Plain paper, Pre-printed, Recycled, Heavyweight, Letterhead, Hole-punched, Cardstock, Heavyweight cardstock, Glossy, Heavyweight glossy, Labels, Envelopes, Transparencies, Custom

Colour Standards

PANTONE® Colour calibrated solid-colour simulations, Adobe® PostScript® device-independent colour, CIE International colour standards, Colour options, ICC Profile, Apple ColourSync®



Operating Environment

Temperature: Storage: -4° to 104° F / -20° to 40° C; Operating: 50° to 90° F / 10° to 32° C; Humidity: 10% to 85%; Sound pressure levels: Printing: less than 59 dB(A); Standby: less than 26 dB(A); Sound power levels: Printing: less than 7.3 B(A); Standby: less than 4.11 B(A); Warm-up time (from sleep mode): 35 seconds

Electrical

110-127 VAC, 50/60 Hz, 12 A; Power consumption: Avg. Operations: 637 W, Standby: 116 W, Sleep: 6 W; 220-240 VAC, 50/60 Hz, 6 A; Power consumption: Avg. Operations: 672 W, Standby: 118 W, Sleep: 8 W; ENERGY STAR® qualified (DN, DT, DX configurations)

Dimensions (WxDxH)

6700N/DN: 22 x 20.3 x 16.9 in. / 560 x 516 x 429 mm, Weight: 93 lbs. / 42.2 kg; 6700DT: 22 x 20.3 x 22.2 in. / 560 x 516 x 563 mm, Weight: 114 lbs. / 52 kg; 6700DX: 22 x 20.3 x 30.7 in. / 560 x 516 x 780 mm, Weight: 138 lbs. / 62.8 kg

Certifications

FCC Part 15, Class A, Listed UL 60950-1/CSA 60950-1-07, CE Marking applicable to Directives 2004/108/EC and 2006/95/EC, GOST, Section 508 ADA, ENERGY STAR® qualified (DN, DT, DX configurations)

Supplies

Standard-capacity toner cartridge:
 Black: 7,100 pages¹ 106R01514
 Cyan: 5,000 pages¹ 106R01511
 Magenta: 5,000 pages¹ 106R01512
 Yellow: 5,000 pages¹ 106R01513

High-capacity toner cartridge:

Black: 18,000 pages¹ 106R01526
 Cyan: 12,000 pages¹ 106R01523
 Magenta: 12,000 pages¹ 106R01524
 Yellow: 12,000 pages¹ 106R01525
 Staples (3-boxes) 008R12941

Routine Maintenance Items

Cyan Imaging unit: 50,000 pages² 108R00971
 Magenta Imaging Unit: 50,000 pages² 108R00972
 Yellow Imaging unit: 50,000 pages² 108R00973
 Black Imaging Unit: 50,000 pages² 108R00974
 Waste Cartridge: 25,000 pages² 108R00975

¹ Average standard pages. Declared Yield in accordance with ISO/IEC 19798.

² Yield will vary based on image, area coverage and print mode.

² Approximate pages. Declared yield based on an average job size of 4 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.

Options

550-sheet Tray 097S04150
 1,100-sheet Tray 097S04151
 Stand 097S04552
 2 GB Memory 097S04396
 Productivity Kit with Hard Drive 097S04179
 Office Finisher 097S04152
 – 1,000-sheet stacker, 50-sheet stapling
 Wireless Network Adapter
 – N. America Power Converter 097S03740
 – European Power Converter 097S03741
 – UK Power Converter 097S03742

For more information, call 1-877-362-6567 or visit us at www.xerox.com/office



©2013 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. Xerox®, Xerox and Design®, CentreWare® and Phaser® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. BR145. Updated 10/13 610P730288C 670BR-012D