



# Redefining your office printer





## Announcing the groundbreaking Xerox Phaser 8200 Color Printer.

Designed around our most innovative single-pass print technology to offer unprecedented performance for your office. Even the price tag is breakthrough. While the print speed alone is enough to turn your head, wait until you experience the incredible ease of use and the stunning image quality.


You'll never look back.

# Phaser 8200 Color Printer

### the best performer at the best value

The Phaser 8200 Color Printer delivers a powerful performance advantage. This means fast printing in real world use, no matter how complex your print job or your business. And, because of its economical price, any office can afford it.

- Full page color at up to 16 ppm means you're never kept waiting for even the largest jobs to print.
- 9 seconds to your first page. It's the fastest first-page-out speed of any color printer in its class.
- Built around a high-speed 300 MHz PowerPC processor, with up to 256 MB memory, true Adobe PostScript 3, and an available hard drive (10 GB minimum) for ultimate performance.
- Incredibly priced to give you the competitive edge of color for about the cost of a black-only network printer.



# Phaser® 8200

Color Printer

## brilliant color quality

The true beauty of this printer shines through in your output: text and detail are sharp and crisp, and the color is so incredibly brilliant, it will get you noticed in the flash of a page.

- Solid ink color is truer, more saturated and remarkably consistent, page after page, on virtually any media.
- Select the 1200 dpi Photo mode and see your scanned images and photographs come alive.
- Optimize color automatically with expert color matching technology that no other printer can match.



## smart printing for great work

When you connect an 8200 to your network, you can take advantage of Xerox CentreWare software. It provides quick and convenient access to a wealth of features, including printer and job status, in depth accounting information, simplified printer installation and network administration.

Printer administrators will benefit from CentreWare IS Embedded Web Server to manage printers from anywhere using a web browser.

**Secure printing** lets you hold a confidential job at the printer until you are ready to pick it up.

The 8200 stays in touch with system administrators by sending **Email Alerts**. It can even be set up to send a message to your reseller when ink supplies get low.

Instant pop-up messages appear on your monitor if printing problems arise, thanks to **PrintingScout**.

The smart 8200 can even troubleshoot on its own. It has **PhaserSMART**, a unique automated internet-based support system.

## easy to use and reliable

The most advanced color printer ever is also the easiest to use. In your day to day printing you will appreciate the simplicity and ruggedness of the Phaser 8200. Superior design and smart features make it simple, more reliable and less expensive to operate.

- Just drop a solid ink stick into the shape-coded slot at any time, even while printing. The 8200 is as easy to load as a stapler. No more fumbling with messy toner.
- Best for the environment *and* your budget, because efficient solid ink is environmentally friendly and virtually waste-free.
- Self-monitoring, so it's ready to print when you are and in energy-saving mode when you're not.
- Out of the box and on your network in minutes with extraordinarily streamlined installation.
- Proven reliability is backed by a 1-year on-site warranty and the unmatched Xerox Total Satisfaction Guarantee.



## flexible paper handling

What could be better than gorgeous color pages that set you apart from the competition? How about the same gorgeous color on transparencies, business cards and labels? Thanks to the simple paper path, you can feed an amazing range of media through the 8200.

Use the manual feed for heavy paper up to 80 lb cover and 110 lb index (216 gsm), business cards and envelopes.

Two-sided printing (duplex) option is automatic and fast.

The 200-sheet paper tray feeds 16 - 40 lb. bond (60 - 150 gsm) and up to 60 lb (160 gsm) heavy paper/cover stock.

Add one or two 500-sheet high-capacity paper feeders to boost your capacity to 1200 sheets.



## need more information?

Find it at [www.xerox.com/officeprinting](http://www.xerox.com/officeprinting)

**See it in action.** Visit your Xerox reseller, or see a virtual demo: [www.xerox.com/officeprinting/8200demo](http://www.xerox.com/officeprinting/8200demo)

**Solid ink technology.** What makes solid ink so special? Our solid ink web site is full of facts, figures, FAQs, and customer comments: [www.xerox.com/officeprinting/solidink](http://www.xerox.com/officeprinting/solidink)

**Industry Awards.** Solid ink has 11 years proven experience behind it. The predecessor to our current model, the Phaser 860 swept the industry with top awards and recognition from **PC Magazine**, **PC World**, **Smart Computing**, and **MacWorld**.

**Networking.** Our web site is loaded with details on network cards, protocols, printer management, and color matching: [www.xerox.com/officeprinting/networking](http://www.xerox.com/officeprinting/networking)

**Services & Support.** Learn about Total Satisfaction Services<sup>SM</sup> award-winning service: [www.xerox.com/officeprinting/support](http://www.xerox.com/officeprinting/support)

**Get color connected.** Sneak a peak at Color Connection (exclusively for our printer owners), which includes access to a special web site, newsletters, tutorials, product updates, and great ideas: [www.colorconnection.xerox.com](http://www.colorconnection.xerox.com)



**Configurations**

	8200B	8200N	8200DP	8200DX
<b>Performance</b>	16 ppm fast color / 10 ppm standard color			
<b>Print speed</b>	9 seconds in full color			
<b>First page out</b>	9 seconds in full color			
<b>Memory (Std / Max)</b>	64 / 256 MB RAM	128 / 256 MB RAM	192 / 256 MB RAM	
<b>Processor</b>	300-MHz processor, Adobe PostScript 3 – 136 fonts, PCL5c – 45 fonts			
<b>Internal hard disk</b>	Optional		Standard	
<b>Maximum duty cycle</b>	Up to 65,000 pages/month			
<b>Print Quality</b>	1000 dpi			
<b>Maximum resolution</b>	1000 dpi		1200 dpi Photo Mode	
<b>Networking</b>	Bi-directional Parallel, USB			
<b>Network connectivity</b>	10/100BaseTX Ethernet, Bi-directional Parallel, USB			
<b>Paper Handling</b>	Optional			
<b>Automatic 2-sided printing</b>	Optional		Standard	
<b>Paper input capability</b>	200 sheet standard tray		200 sheet standard tray additional 500 sheet tray	
Standard				
Maximum	1200 sheets			
<b>Productivity</b>	Auto tray select, Intelligent Ready, Watermark, N-up printing, Separation pages, Cover sheets			
<b>Standard features</b>	Embedded Web Server, Remote printing, E-mail alerts, PrintingScout, PhaserSMART™, Job Accounting, Usage Analysis Tool			
	Job Pipelining with compression			
	Proof/Secure/Saved print, Collation, Booklet printing, Extended font storage			
<b>Warranty</b>	One year on-site, Xerox Total Satisfaction Guarantee			

**Specifications**

**Network/Software**

**Printer management** Xerox CentreWare Printer Management for Microsoft, Novell and Unix, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool (not available on non-networked model)

**Font capabilities** 136 Resident PS fonts and 45 PCL

**Printer drivers** Windows 95/98/Me, Windows NT 4.x, Windows 2000/XP, MacOS 8.x/9.x/X, version 10.1, Novell NetWare 3.x/4.x/5.x/6.x, UNIX (Linux 5.2+, Sun OS 4.x Sun Solaris 2.4+, DEC, HP/UX 11.x, IBM AIX 4.2+, SGI, SCO)

**Languages** True Adobe® PostScript® 3™, PCL 5c emulation with automatic sensing and switching

**Paper handling**

**Media input trays** *Standard:* 200 sheet main paper/transparency tray. *Optional:* 500 sheet high-capacity tray (up to 2 can be added – one is standard on the 8200DX), 200 sheet legal paper tray, 175 sheet (100 sheet label) high capacity transparency/label tray

**Media types** *Standard paper tray:* 16-40 lb. bond (60-150 gsm) and heavy paper/cover up to 60-lb. (160 gsm), coated or Phaser glossy and High-resolution Photo papers, Phaser 860/8200 transparencies, labels. *Automatic 2-sided printing:* 16-40 lb. bond (60-150 gsm) and up to 60-lb. (160 gsm) heavy paper/cover, and coated/glossy. *Manual feed:* all of above, plus heavy paper up to 80 lb. cover and 110 lb. index (216 gsm) and envelopes

**Media sizes** Letter, Executive, Legal, A4, A5. Printing margins: prints within .2 in (5 mm) of all edges of Letter and A4 size, and .2 in (5 mm) of sides and 1 in (25.4 mm) at top and bottom of Legal size

For the location of your nearest Xerox reseller, or for more information, visit our Web site or call: United States and Canada 1-877-362-6567, other regions see your local Xerox or Fuji/Xerox representative.

**Special features**

**PrintingScout** instantly displays pop-up Help if attention is needed during print jobs.

**PhaserSMART** provides automated internet-based support.

**Auto Install** automatically gets you printing over the network in seconds.

**Productivity tools:** Secure Print\*, Proof Print\*, Saved Print\*, Booklet printing, Intelligent Ready, Negative and mirror images, Scaling, Watermarks, Cover sheets, Collation printing\*, Remote printing, Separation pages, N-up printing, MailInX E-mail Alerts, Job Accounting, Job Pipelining, Extended font storage\*, (\*requires hard drive)

**Color controls**

**Color standards** PANTONE®-approved solid-color simulations, Adobe PostScript device-independent color, CIE international color standards, and support for ICC and Apple ColorSync color management systems

**Color correction** TekColor Dynamic Correction Color Profiles selectable from the driver: Automatic, sRGB Display, Vivid Color, SWOP, Euroscale, Commercial, SNAP, Toyo, DIC, FujiProof, Black and White, None

**Operating**

**Dimensions** width: 17 in. (432 mm), height: 15.3 in. (390 mm), depth: 23.5 in. (600 mm), weight: 79 lb. (36 kg)

**Environment** Temperature: Non-operating: -30° to +60° C, Operating: 10° to 32° C. Relative Humidity: Non-operating: 10% to 95%, Operating: 10% to 85%. Noise Level: 33 dBA standby, 51 dBA running

**Electrical** 90-264 VAC, 50/60 Hz, Consumption: 175 W avg./1000 W max. ENERGYSTAR® qualified with ES option

**Regulatory** FCC Part 15, Subpart B, UL listed to UL 1950, CSA Certified to CSA—C22.2 No. 950, CE Mark applicable to directives 73/23/EEC and 89/336/EEC CDRH, EN 55022

**Total Satisfaction Services**

1-year On-site Warranty, online web technical support and telephone support. Innovative service offerings include optional extended Service Agreements and custom training for your internal Help Desk. The Phaser 8200 printer is backed by the Xerox Total Satisfaction Guarantee.



Adobe PostScript® 3



**Media and Supplies**

**Xerox Phaser Printing Media**

**Phaser Premium Color Printing Paper**  
500 sheets, 24 lb/90 gsm bond  
A/Letter (8.5 x 11 in) 016-1368-00  
A4 (210 x 297 mm) 016-1369-00

**Phaser Premium Cover Paper**  
100 sheets, 60 lb/160 gsm cover  
A/Letter (8.5 x 11 in) 016-1823-00  
A4 (210 x 297 mm) 016-1824-00

**Phaser 860/8200 Glossy Coated Paper**  
100 sheets, 100 lb/148 gsm text  
A/Letter (8.5 x 11 in) 016-1936-00  
A4 (210 x 297 mm) 016-1937-00

**Phaser 860/8200 High Resolution Photo Paper**  
25 sheets, 65 lb/170 gsm bond  
A/Letter (8.5 x 11 in) 016-1808-00  
A4 (210 x 297 mm) 016-1809-00

**Phaser Premium Die-cut Business Cards**  
25 sheets, 70 lb/190 gsm, 10 cards/sheet  
A/Letter (8.5 x 11 in) 016-1898-00  
A4 (210 x 297 mm) 016-1899-00

**Phaser 860/8200 Standard Transparency Film**  
50 sheets  
A/Letter (8.5 x 11 in) 016-1874-00  
A4 (210 x 297 mm) 016-1875-00

**Phaser 860/8200 Premium Transparency Film**  
50 sheets  
A/Letter (8.5 x 11 in) 016-1876-00  
A4 (210 x 297 mm) 016-1877-00

**Phaser Color Printing Labels**  
100 sheets  
A/Letter, 30 labels/sheet 016-1812-00  
A/Letter, 6 labels/sheet 016-1813-00  
A4, 14 labels/sheet 016-1814-00  
A4, 8 labels/sheet 016-1815-00

**NEW! Premium Greeting Cards with Envelopes**  
25 sheets/envelopes, 70 lb/190 gsm  
A/Letter (8.5 x 11 in) 016-1987-00  
A4 (210 x 297 mm) 016-1988-00

**Consumables**

**ColorStix® 8200 Ink**

10 Black	016-2044-00
5 Black	016-2040-00
5 Cyan	016-2045-00
5 Magenta	016-2046-00
5 Yellow	016-2047-00
2 Cyan	016-2041-00
2 Magenta	016-2042-00
2 Yellow	016-2043-00

**Extended Capacity Maintenance Kit** (up to 40,000 pages) 016-1932-00  
**Standard Capacity Maintenance Kit** (up to 10,000 pages) 016-1933-00  
Capacities are based on 5% coverage on an A-size page

**Accessories**

**Internal Hard Disk** (10GB minimum) 8200HD/A  
64 Mbytes Memory ZMC64/A  
128 Mbytes Memory ZMC128/A

**Paper Tray, 200 sheets**  
A/Letter 436-0409-00  
A4 436-0410-00  
Legal 436-0413-00

**Transparency Tray, 175 sheets**  
A/Letter 436-0411-00  
A4 436-0412-00

**High Capacity Paper Tray Assembly**  
A/Letter 860LTA/A  
A4 860LTA/MA

**Printer Station** ZCARTA  
**N Feature Set** 8200FN/A  
**DP Feature Set** 8200FP/A

Copyright © 2002 XEROX CORPORATION. All rights reserved. Contents of this publication may not be reproduced in any form without permission of XEROX CORPORATION. Xerox®, The Document Company®, Phaser®, PhaserShare® and CentreWare® are registered trademarks of XEROX CORPORATION. Total Satisfaction Services is a service mark of XEROX CORPORATION. Tektronix® is a registered trademark of Tektronix, Inc. licensed to XEROX CORPORATION. All other trademarks are the property of their respective manufacturers. PANTONE® Colors generated may not match PANTONE-identified standards. Consult current PANTONE publications for accurate color. PANTONE® and other pantone, Inc. trademarks are the property of Pantone, Inc. The information in this brochure is subject to change without notice. 5/02 BT 82XBR-01UA