

Xerox[®] Phaser[®] 8560MFP Multifunction Printer Affordable power for the busiest office



Phaser® 8560MFP Multifunction Printer

A Colorful choice. Xerox offers the utmost in productivity with the Phaser 8560MFP color multifunction printer. Your busy workgroup gets a fast, affordable, easy-to-use, device that can expand from a desktop model to a four-tray, floor-standing powerhouse, while delivering top-of-the-line copying, scanning and faxing for all your office document needs.

Outstanding color

The Phaser 8560MFP multifunction printer gives you precise details and rich, vibrant colors.

- Count on superior output on everything from cover stock to recycled paper. Confidently handle color projects in-house and reduce costs and increase efficiency.
- True Adobe® PostScript® 3™ and automatic color-enhancement tools ensure that color-intensive documents print reliably and accurately.
- Produce fast, versatile prints for everyday
 jobs. When you really want to impress, switch
 to 2400 FinePoint™ print resolution mode.
- Nothing else on the market offers more consistent, vivid color. The last page of a large print job looks as good as the first.

Go ahead, get creative. Print on business card stock, postcards, labels, transparencies and more. You can expect the same brilliant output no matter what the media.

No-fuss productivity

A simple, cartridge-free design and a host of helpful features make these devices easy to set up, operate and share.

- **Streamlined, automated driver** installation gets your device up and running in minutes.
- Replenishing ink is as easy as reloading a stapler. There's no mess to clean up and no bulky boxes to store.
- PrintingScout[™] technology monitors your print projects. If a potential issue arises, a handy pop-up alert suggests a remedy.
- Manage, configure and monitor print jobs directly from your computer thanks to the CentreWare® IS Embedded Web Server.
- Built-in security tools keep your data safe. Secure Print holds hard-copy output until a PIN is entered, and Hard Drive Overwrite "shreds" data after every job or on request.

A color printer that meets the challenge

The Phaser 8560MFP multifunction printer delivers fast, attention-grabbing results.

- **Pick up the pace** with a first-page-out print time as fast as 6 seconds. Both black-and-white and color print at up to 30 ppm.
- A 600 MHz processor and 256 MB of memory (upgradeable to 1 GB) provide the muscle you need for the most intense projects.
- **Put off reloading paper**, or swapping one size for another, with a combined paper-tray capacity of 625 sheets a huge stack of paper for a device that sits on a desktop. Add third and fourth trays to increase capacity to 1,675 sheets.
- Handy productivity printing tools are standard, not expensive add-ons: job accounting, custom-size pages, image smoothing and many more.
- Automatic two-sided printing saves time and reduces paper costs.

Phaser® 8560MFP Quick Facts

- Print/copy up to 30 ppm color and 30 ppm black-and-white
- Powerful scan features, including scan to PC/Mac, Scan to Email and Scan to desktop
- Maximum paper capacity: 1,675 sheets
- First-page-out-time as fast as 6 seconds color





WxDxH: 20.9 x 26.2 x 24.4 in. 532 x 665 x 620 mm





Paper input



100-sheet Tray 1 (multipurpose tray) for a wide range of custom media and sizes



525-sheet main tray. Add one or two additional 525-sheet trays for a total capacity of 1,675 sheets



Automatic two-sided printing (standard on all configurations except N)



Productivity Kit (includes 40 GB hard drive) provides more print features (standard on 8560DX and all 8560MFP configurations)

Scanning tools

Use the power of scanning and your Phaser 8560MFP to efficiently organize, edit and distribute information.

- Scan documents straight to your desktop. Edit them now or store them for access later.
- Scan documents to a public folder. This gets them off your desktop and makes them accessible to anyone.
- Scan documents to passwordprotected private folders. This allows central storage but restricted access.

delivers high performance, a very low cost of ownership and outstanding print quality.



Multiple functions, no waiting

The **Phaser 8560MFP** offers copy, scan and fax capabilities and will tackle your workload with an array of time-saving tools:

- Access walk-up copying, scanning, or faxing functions when you need them, even while other jobs are printing. Spend your valuable time working, not waiting for your turn.
- See the first page of your copy job in as little as 15 seconds and the first page of your print job in as little as 6 seconds.
- Gather all those loose paper documents and scan them straight to your desktop, or to a public or private folder. Organize, edit, and distribute files with powerful onboard scanning tools.
- LAN Fax lets you send faxes directly from your PC.

Phaser® 8560MFP









Duty Cycle 85,000 images / month Tray 1: 100 sheets; Custom sizes; 3.5 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm Tray 1: 100 sheets; Custom sizes; 3.5 x 5 in. to 8.5 x 14 in. / 140 x 216 mm to 216 x 356 mm Tray 3: 525 sheets Optional Standard Optional Optional Standard Optional Opti		8560MFP/N	8560MFP/D	8560MFP/T	8560MFP/X	
Paper Handling Paper Input Tray 3: 525 sheets Optional Document Glass Duplex Automatic Document Feeder: 50 sheets Tray 4: 525 sheets Optional Document Handler Document Glass Duplex Automatic Document Feeder: 50 sheets Paper output 250 sheets Two-sided output Optional Standard Standard Standard Optional Stand	Speed	Up to 30 ppm color / 30 ppm black-and-white				
Tray 2: 525 sheets Selectable sizes: 5.5 x 8.5 in. to 8.5 x 14 in. / 140 x 216 mm to 216 x 356 mm Tray 3: 525 sheets Deficional Document handler Document disss Duplex Automatic Document Feeder: 50 sheets Paper output 250 sheets Two sided output Optional Standard Copy First-page-out time Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet areation¹, Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/1008ase-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan to PC Desktop® Optional Standard	Duty Cycle	85,000 images / month				
Tray 4: 525 sheets Optional Document Glass Duplex Automatic Document Feeder: 50 sheets Paper output 250 sheets Two-sided output Optional Standard Standard Copy First-page-out time Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet creation*, Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 Fine-Point** Memory (std / max) 512 MB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3**, PCL® 5c emulation Connectivity 10/1008ase-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing*, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional						
Document handler Document foliass Duplex Automatic Document Feeder: 50 sheets Two sided output Optional Standard Copy First-page-out time Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet creation', Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing', Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Tray 3: 525 sheets	Optional Standard				
Paper output 250 sheets Two-sided output Optional Standard Copy First-page-out time Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet creation', Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint ** Memory (std / max) 512 MB / 1 GB 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3**, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Tray 4: 525 sheets	Optional Standard			Standard	
Two-sided output Optional Standard Copy First-page-out time As fast as 15 seconds color / 15 seconds black-and-white Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet creation ¹ , Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint ¹⁰⁴ Memory (std / max) 512 MB / 1 GB 1	Document handler	Document Glass	Duplex Automatic Document Feeder: 50 sheets			
Copy First-page-out time Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet creation¹, Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Paper output	250 sheets				
First-page-out time As fast as 15 seconds color / 15 seconds black-and-white Resolution (max) 600 x 600 dpi Copy features Book copying, Booklet creation¹, Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Two-sided output	Optional Standard				
Copy features Book copying, Booklet creation¹, Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection Print First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB 1 GB 1 GB 1 GB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard		As fast as 15 seconds color / 15 seconds black-and-white				
Print As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB 1 GB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Resolution (max)	600 x 600 dpi				
First-page-out time As fast as 6 seconds color Resolution (max) Up to 2400 FinePoint™ Memory (std / max) 512 MB / 1 GB 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Copy features	Book copying, Booklet creation ¹ , Collation, Covers, Image Center, Image shift, N-up, Reduce / Enlarge, Repeat image, Color Password Protection				
Memory (std / max) 512 MB / 1 GB 1 GB / 1 GB Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Fax		As fast as 6 seconds color				
Processor / PDL 600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Resolution (max)	Up to 2400 FinePoint™				
Connectivity 10/100Base-TX Ethernet, USB 2.0, IPv6 Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Memory (std / max)	512 MB / 1 GB 1 GB			1 GB / 1 GB	
Print features Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing¹, Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Processor / PDL	600 MHz processor / True Adobe® PostScript® 3™, PCL® 5c emulation				
Productivity kit Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard Fax	Connectivity	10/100Base-TX Ethernet, USB 2.0, IPv6				
Scan Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Standard	Print features	Custom-size pages, Xerox Installer, Intelligent Ready, Booklet printing ¹ , Smart Trays, Remote Printing, Job Accounting, Printer Neighborhood, Run Black				
Scan destinations Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders Scan to PC Desktop® Optional Fax	Productivity kit	Hard drive: Personal/Personal Saved/Secure/Proof/Saved Print, Print With, Extended font/form storage, Collation, Hard Drive Overwrite				
Fax		Scan to PC / Mac, Scan to TWAIN application, Scan to email (via PC), Scan to desktop, Scan to Public / Private Folders				
	Scan to PC Desktop®	Optional Standard				
		33.6 kbps Super Group 3, 200 individual / 100 group Speed dials, fax to multiple addresses, Fax security				
Warranty One-year on-site warranty, Xerox Total Satisfaction Guarantee	Warranty	One-year on-site warranty, Xerox Total Satisfaction Guarantee				

¹ Requires 2-sided printing 2 Analog phone line required

Device Management

Xerox® CentreWare® Printer Management for Microsoft, Novell and UNIX, Xerox CentreWare® IS Embedded Web Server, CentreWare Web, Xerox NDPS Gateway, Usage Analysis Tool, Configuration card, PrintingScout™, MaiLinX email alerts, PhaserSMART®

Print Drivers

Windows® XP/2003 Server, Vista, Windows 7, Mac OS® version 10.3 and higher, Novell NetWare® 5.x/6.5 (NDPS only), UNIX/Linux (see web), Xerox Walk-Up® Printer Drivers

Security

SMNP v3, Secure Print and Hard Drive Overwrite (requires Productivity Kit)

Media Handling

Tray 1: 16-40 lb. bond, 50-80 lb. cover / 60-220 gsm; Trays 2-4: 16-32 lb. bond, 22-45 lb. cover / 60-120 gsm; Duplex Automatic Document Feeder: 16-32 lb. bond, 22-45 lb. cover / 60-120 gsm; Media types: transparencies, envelopes, labels, glossy paper, custom-size paper

Operating Environment

Temperature: Nonoperating: -22° to 140° F / -30° to 60° C; Operating: 50° to 90° F / 10° to 32° C; Relative Humidity: Nonoperating: 10% to 95%; Operating: 10% to 80%; Sound power levels: Operating: 54 dBA, Standby: 33 dBA

Electrical

Power: 110 - 240 V, 50 - 60 Hz; Power consumption: Average: 230 W; Max: 1500 W; ENERGY STAR® qualified (Phaser 8560 MFP/S configuration)

Dimensions (WxDxH)

 $20.9 \times 26.2 \times 24.4$ in. / $532 \times 665 \times 620$ mm; Weight: 130 lb. / 59 kg. Additional feeder: 5.3 in. / 135 mm; Weight: 16 lb. / 7.3 kg. Optional cart: $19.7 \times 27 \times 14.2$ in. / $500 \times 670 \times 360$ mm

Certifications

Certified to UL 60950-1/CSA 60950-1-03 1st Edition, FCC Part 15 Class A, Low Voltage Directive 73/23/EEC, EN 60950-1 EMC Directive 89/336/EE3, GOST EN55022 Class A, EN 55024, ROHS Directive 2002/95/EC

Options

8560MFP/N to D Upgrade	097S03666
256 MB Memory	097S03381
512 MB Memory	097S03382
525-sheet Feeder	097S03319
System Cart	097S03318
Scan to PC Desktop	
-Professional (std on 8560MFP/X)	097S03735
–SE	097S03739
Wireless Network Adapter	
–N. American power converter	097S03740
–Euro power converter	097S03741
–UK power converter	097S03742































