



DocuColor 2006
PRINTER/COPIER

When Image is
Everything



XEROX
NETWORK PRINTERS



DocuColor 2006

PRINTER/COPIER

The DocuColor 2006 Printer/Copier from Xerox gives you top quality prints *and* copies— together in a single, high-performance solution.




Built for color-intensive environments where image is everything, it is the ultimate printing, copying, proofing, and comping tool. It has the range to handle any challenge: copying, two-sided printing, full tabloid-bleed page size, and media as varied as heavyweight, coated gloss and transparencies.

Whether you need professional-quality proofs, brochures, posters, presentatons or reports, the DocuColor 2006 Printer/Copier delivers.




outstanding image quality

The DocuColor 2006 prints and copies at 600 x 600 dpi resolution enhanced by 8-bit color depth per pixel for precise continuous-tone quality.



Advanced color matching technology, independent RGB, CMYK and Pantone color workflow, and Automatic Pantone Color Calibration with embedded color dictionaries are included for easy and precise color rendering.



Automatic internal density control assures consistent color without user intervention. VisualCal print adjustments and densitometer-based calibration methods are available for more demanding needs.

Xerox patented Intermediate Belt Technology (previously reserved for our highest-end digital presses) guarantees perfect color registration and paper weight flexibility.

need more information?

Find it at www.xerox.com/officeprinting

See the DocuColor 2006 in action. Visit your Xerox dealer, agent or reseller, or go to our web site for a virtual printer/copier demo: www.xerox.com/officeprinting/2006demo

Service & Support. Learn about Total Satisfaction ServicesSM award-winning service and support: www.xerox.com/officeprinting/support

Get color connected. Sneak a peak at Color Connection (exclusively for our color-printer/copier owners), which includes access to a special web site, newsletters, tutorials, product updates, and great ideas: Colorconnection.xerox.com

advanced performance on your network

Print and copy at speeds of 6 ppm color/26 ppm black and white.

The DocuColor 2006 integrates seamlessly onto your network. Parallel and 10/100BaseTX Ethernet are standard.

Powerful embedded 266 MHz controller and standard 64 Mbytes of RAM (expandable to 512 Mbytes).

High duty cycle ensures maximum productivity and easy-to-replace cartridges and waste containers increase uptime.

Advanced technology and simple, modular design make the DocuColor 2006 extremely reliable.

easy to use print and copy features

At the desktop or at the device, the DocuColor 2006 is intuitive and easy to operate.

Web-based printer administration lets you view job status, manage print queues and access drivers and printer support.

Printing capabilities like Document Set printing, electronic collation, Spool-Hold-Print queues (with thumbnail viewing and editing options), and direct PDF and PostScript downloading streamline your workflow.

Extensive copy features include zoom magnification from 25 to 400%, auto reduction/enlargement, auto document size sensing, auto color selection, and border/center erase.

exceptional versatility

Extensive media flexibility lets you print and copy everything in-house. Paper weights from 20 to 110 lb (64 to 220gsm), page size up to 13 x 18 in (330 x 457mm).

Fully-integrated copier/ scanner **1** is easy to use and provides common copying capabilities at your fingertips.

Automatic 2-sided printing option **2** (standard on the 2006DPC) makes brochure printing fast and easy.



Standard paper capacity of 250-sheet universal tray **3**, 150-sheet bypass tray **4** and 2-tray 1,000-sheet high-capacity feeder **5** for a total of 1,400 sheets.

Automatic Document Feeder **6** (standard on the 2006DPC) adds productivity and flexibility.

Optional Sorter/Stacker **7** collates jobs for easy pick-up and distribution-ready documents.





DocuColor 2006DPC configuration includes copier/scanner, 128 MB RAM, automatic 2-sided printing, internal hard disk, 1,000-sheet high capacity feeder, automatic document feeder, and optional 10-bin sorter/stacker.



XEROX
NETWORK PRINTERS




DocuColor 2006 COLOR PRINTER/COPIER SPECIFICATIONS

CONFIGURATIONS

		
	2006NPC	2006DPC
Print/copy speed	6 ppm color / 26 ppm black and white	
First page out	print: 26 seconds color / 11 seconds black and white copy: 31 seconds color / 11 seconds black and white	
Image processing	266-MHz R5271 MIPS processor, Adobe PostScript 3	
Memory Standard / Maximum	64 MB / 512 MB RAM	128 MB / 512 MB RAM
Print/copy resolution	600 x 600 dpi x 8 bit color depth per pixel	
Maximum page size	Tabloid plus (13 x 18in/330 x 457mm)	
Network connectivity	10/100BaseTX Ethernet, Bi-directional parallel	
Paper input capability	1,400 sheets	
Monthly duty cycle	up to 65,000 pages/month/2–5,000 average monthly print volume	
Standard features	Copier/Scanner 2 Tray High Capacity Feeder 6 GB Internal Hard Disk	Copier/Scanner 2 Tray High Capacity Feeder 6 GB Internal Hard Disk Automatic 2-sided printing and copying Automatic Document Feeder
Optional accessories	Automatic 2-sided printing, Token Ring Dedicated Transparency Tray, Oversize Tray Automatic Document Feeder, 10-Bin Sorter/Stacker	Token Ring Dedicated Transparency Tray, Oversize Tray 10-Bin Sorter/Stacker
Customer support	90 Day Warranty which includes web and telephone support (Service options beyond Warranty may not include telephone support), Xerox Total Satisfaction Guarantee	

SPECIFICATIONS

Network/software	
Printer management	Hold Queue, Print Queue, Direct Queue, RIP while print, Continuous print, Electronic collation, Document set printing, Reverse order printing, Maximum print quantity, Job log, Billing meter, Job recovery, Cancel job, PDF File downloading
Font capabilities	138 PostScript fonts, 1 Bitmap, 10 TrueType, 35 Intellifonts
Printer drivers	Windows 95/98, Windows NT 4.0/5.0, Windows 2000, Mac OS 8.x/OS 9.x
Languages	Genuine Adobe® PostScript® 3™, Color PCL 5ec emulation with automatic sensing and switching
Paper handling	
Media input trays	standard 250 sheet universal tray, 150 sheet bypass tray and 2-tray 1,000 sheet high-capacity feeder.
Media types	16–110 lb (64–220 gsm) index, coated or glossy papers, Xerox-branded transparencies, laser-quality labels, envelopes, recycled paper, business cards
Media sizes	Minimum: 3.5 x 5.5in (90 x 139.7mm) Maximum: 13 x 18in (330.2 x 457.2mm) Maximum image size: 12.6 x 17.7in (320 x 437mm)
Special features	
Document Management	Document Set printing, PDF Direct printing, Concurrent Job Receiving, RIP Once/Print Many, RIP while printing.
Web tools	PDF, PS, Remote machine status, Web setup tools, installation tools.

Copy features	
Copier/scanner	Up to 99 copies per job, Zoom magnification from 25 to 400%, Auto reduction/enlargement, Auto document size sensing, Auto color selection, Border/center erase, Two in one, 600 x 600 x 8 bit depth scan resolution, optional document feeder
Color controls	
Color matching	PANTONE®-approved solid-color simulations, ICC, ICM, ColorSync, custom ICC
Color standards	SWOP, EuroScale, DIC
Rendering Styles	Photographic, Business graphics, Absolute and Relative Colorimetric
Operating	
Dimensions	Width: 25.6in/650mm, Height: 46in/1160mm, Depth: 29.5in/749mm, Weight: printer 159lb/72kg; scanner 55lb/25kg; ADF 49 lb/22kg; scanner stand 77lb/35kg
Environment	Temperature: Storage: -4° to 104°F (-20° to 40°C), Operating: 41° to 89.6°F (5° to 32°C). Relative Humidity: Storage: 5% to 85%, Operating: 15% to 85%. Altitude: 0–10,107 ft. (0–3100 m) PQ guaranteed
Electrical	Models: 110–130 VAC, 50/60 Hz, 200–260 VAC, 50/60 Hz, Consumption: warm-up 100W, continuous printing 1100W or less, idle 250W or less, Energy Star 45W or less.
Regulatory	FCC Part 15, Subpart B, CE Mark applicable to directives 73/23/EEC, 93/68/EEC and 89/336/EEC

MEDIA AND SUPPLIES

Xerox Phaser Professional Printing Paper

Phaser Premium Color Printing Paper	500 sheets, 24lb/90gsm bond
A/Letter (8.5 x 11 in)	016-1368-00
A4 (210 x 297 mm)	016-1369-00
11 x 17 in	016-1699-00
A3	016-1700-00
12 x 18 in	016-1900-00
SRA3	016-1901-00

Phaser Premium Cover Paper

100 sheets, 60lb/160gsm cover	
A/Letter (8.5 x 11 in)	016-1823-00
A4 (210 x 297 mm)	016-1824-00

Premium Coated Cover Paper

250 sheets, 80lb/160gsm cover	
12 x 18 in, 50 sheets	016-1788-00

Phaser Glossy Coated Paper

100 sheets, 100lb/148gsm text	
A/Letter (8.5 x 11 in)	016-1704-00
A4 (210 x 297 mm)	016-1705-00
50 sheets	
11 x 17 in	016-1718-00
A3	016-1719-00
12 x 18 in	016-1940-00
SRA3	016-1941-00

Premium Transparency Film

50 sheets	
A/Letter (8.5 x 11 in)	016-1798-00
A4 (210 x 297 mm)	016-1799-00

Toner Cartridges

Cyan	006R90308
Magenta	006R90309
Yellow	006R90310
Black	006R90307

Waste Cartridge 008R12571

Print Cartridge 013R90140

Accessories

Oversize Paper Tray	250 sheets	098S04448
Transparency Tray	250 sheets	098S04447
Automatic Duplex Unit	790DPLX	
Automatic Document Feeder	2006ADF	
10-Bin Sorter/Stacker	2006BN	
Densitometer	098N00402	
Token Ring	Z35TR	
Additional Memory		
64 Mbytes	ZMB64	
128 Mbytes	ZMB128	
256 Mbytes	ZMB256	
512 Mbytes	ZMB512	
Startup Kits (consists of Cyan, Magenta, Yellow, Black toner cartridges, Premium Color Printing paper)		
B-size media	2006SS 00	
A3-size media	2006SS 01	

For the location of your nearest Xerox dealer, agent or reseller, or for more information, visit our Web site or call: United States and Canada **1-877-362-6567**, other regions see your local Xerox or Fuji/Xerox representative.



www.xerox.com/officeprinting