

Xerox® Phaser® 3610 Black and White Printer



Phaser 3610DN			
Output Speed	Up to 45 ppm A4 / 210 x 297 mm		
Automatic Two-sided	Up to 28 ppm A4 / 210 x 297 mm		
Paper Handling – Input			
Multipurpose Tray			
Capacity ¹	150 sheets		
Sizes	Custom sizes: 76 x 127 mm to 216 x 356 mm		
Weights	60 to 220 gsm		
Mediα Types	Plain thick Other Card stock Lightweight Heavyweight Rough surface Labels Envelopes Letterhead Hole punched		
Tray 1			
Capacity ¹	550 sheets		
Sizes	Custom sizes: 148 x 210 mm to 216 x 356 mm		
Weights	60 to 220 gsm		
Mediα Types	Plain Plain thick Other Card stock Lightweight Heavyweight Rough surface Labels Letterhead Hole punched		

Up to 3 Additional Trays (C	Optional)
Capacity ¹	550 sheets each
Sizes	Custom sizes: 148 x 210 mm to 216 x 356 mm
Weights	60 to 220 gsm
Media Types	Plain Plain thick Other Card stock Lightweight Heavyweight Rough surface Labels Letterhead Hole punched
Paper Input Capacity	
Standard Paper Capacity ¹	700 sheets
Maximum Paper Capacity ¹	2,350 sheets
Paper Output	
Automatic Two-sided Output	250 sheets
Print	
First-page-out Time	As fast as 6.5 seconds
Print Resolution	Up to 1200 x 1200 dpi
Maximum Print Area	4 mm from all edges or 207.7 mm x 347.4 mm (default), 215.9 mm x 255.6 mm with edge-to-edge mode
Memory (std / max)	512 MB / 1 GB with optional memory
Processor	400 MHz
Page Description Languages	PCL® 5e and 6 emulations PostScript® 3™ emulation PDF emulation
Connectivity	10/100/1000Base-T Ethernet Optional Wi-Fi (with Xerox® Wireless Connectivity Kit)
Print Feαtures	Booklet printing Scaling Fit to page Watermarks Custom-size pages N-up Toner save mode Secure print Collation
Supported Operating Systems	Microsoft® Windows® XP SP1, Vista, 7, 2008 Server, 2003 Server Mac OS® 10.5 and later Various Linux® and UNIX® distributions, including: • IBM® AIX® 5 • HP-UX® 11i v2 • openSUSE® 11 • Red Hat® Fedora® Core 11-14 • Ubuntu®

Xerox® Phaser® 3610

• EAP-TLS • EAP-TTLS PAP • EAP-TTLS CHAP

Print Drivers	Microsoft Windows XP and above 2003 Server and above Mac OS 10.5 and above Red Hat Enterprise 4, 5 Fedora Core 14-16 openSUSE 11, 12 IBM AIX-5 HP-UX 11, 11i Solaris® 9, 10 Ubuntu Xerox® Global Print Driver® Xerox® Mobile Express Driver®		
Font Capability	87 PostScript® Fonts; 96 PCL® Fonts		
Xerox [®] Mobile Express Driver [®] (X-MED)	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox devices in every new location. Plug into a new network, and X-MED automatically discovers available printers and provides status and capability information. Save a list of "favourite" printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT. • Printers are automatically discovered • Printer list can be managed based on location • Gives Bidirectional feedback device status, supplies, queue management		
Xerox® Global Print Driver® (X-GPD)	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management. • Printers are automatically discovered • Printer list can be managed based on location • Gives Bidirectional feedback device status, supplies, queue management		
Security			
Security Features	Secure HTTPS (SSL, Secure LDAP) IPsec 802.1X Authentication Network Authentication IPv6 SNMPv3 IP Filtering Secure Print		
Wi-Fi Security			
	Authentication Method	Encryption	Productivity Kit
	Open WPA PSK WPA PSK / WPA2 PSK	WEP 64 / 128 ASCII / HEX TKIP AES	No
	WPA Enterprise WPA Enterprise / WPA 2™ Enterprise WPA Enterprise Authentication Method options: • PEAPVO MS-CHAPV2	TKIP AES	Yes

Device Management	
Xerox [®] CentreWαre [®] Web	
	 A Web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system Works with any SNMP-managed printer from any manufacturer Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management
Xerox® CentreWare® Inter	rnet Services – Integrated Device Web Page
Device Status	Web server embedded • Tray status / contents • Consumables status
Print Queue Viewing	Complete job print queue management – hold, release, promote and delete
Job Submission	Print-ready files (PS, PCL®, TIFF, PDF) Output feature selection
Device Administration	Allows simple, remote installation setting of configuration options and management of the device
Browsers	Microsoft® Internet Explorer® 7 Firefox® version 4 and above
Xerox® Mobile Solutions	
Xerox® PrintBack	PrintBack takes the capabilities of the printer you already use, and extends them beyond your computer and out to your Apple® iOS- or Android™-based mobile device. When you're working off-site or away from your desk and receive an important document via your mobile device, simply use PrintBack to print it with your default printer back at your office or desk. Plus, it supports the most common office file types (Microsoft® Office documents, PDF, etc.) with uncompromised print quality.
Xerox [®] Mobile Express Driver [®]	The Xerox® Mobile Express Driver is a single, universal printer driver that can be downloaded to a PC and used to print to virtually any PostScript device on the network, including printers made by other manufacturers. Instead of downloading individual printer drivers for each product in each office, users can download the single, simple, Mobile Express Driver.
Apple [®] AirPrint [™]	Print email, photos and important office documents directly from an Apple iPhone® or iPad® with no drivers to install and no cables to connect. With AirPrint, an iPhone or iPad automatically locates and connects to the AirPrintenabled device over the office Wi-Fi network.
Device Specifications	
Duty Cycle	
	Up to 110,000 pages per month ²
Recommended Monthly P	rint Volume
	Up to 14,000 pages per month ³
Power Consumption	
220 to 240 VAC, 50 / 60 H	Iz, 6A
Continuous Printing	686 W
Ready (Standby) Mode	52 W
Energy Saver Mode (Sleep)	2 W
Environment	
Warm-up Time	UI ready: <20 seconds First page printed: <20 seconds
Temperature Range	15° to 28° C
Humidity	20 to 70 %
Sound Pressure Levels	
Printing / Copying	56 dB(A)
Standby	30 dB(A)
Energy Save Mode	0 dB(A)
Sound Power Levels	I = 10 = 11.
Printing / Copying	7.48 B(A)
Standby	5.3 B(A)

Dimensions and Weights (Unpackaged)	Width	Depth	Height	Weight
Phaser 3610DN	393 mm	426 mm	315 mm	13 kg
550-sheet Tray	393 mm	393 mm	94 mm	3.2 kg
Stand	442 mm	470 mm	390 mm	13.3 kg
Dimensions and Weights (Packaged)				
Phaser 3610DN	534 mm	540 mm	470 mm	15.9 kg
550-sheet Tray	498 mm	504 mm	234 mm	4.4 kg
Stand	515 mm	510 mm	230 mm	15.4 kg
Certifications				
	UL 60950-1:2007 / CSA 60950-1-07+A1:2011, FDA / CDRH – Class 1 Laser Product, FCC Part 15, Class A, Canada ICES-003, Class A, CE marked, Low Voltage Directive 2006 / 95 / EC, EN 60950-1, 1st Edition, EN 60825-1 – Class 1 Laser Product, EMC Directive 2004 / 108 / EC, EN 55022, Class B, RoHS Directive 2011 / 65 / EU, WEEE Directive 2002 / 96 / EC, ENERGY STAR® qualified, Citrix Ready®, Blue Angel			

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

What Comes in the Box

Phaser 3610 Printer

Toner cartridge (5,900 page capacity⁴) Drum cartridge (68,000 page capacity⁵)

Quick Installation Guide, Quick Use Guide, Driver CD, Documentation CD (User Manual, System Administration.

Guide) Power cable

Supplies and Options	Description	Order Number
Standard Capacity Toner Cartridge	5,900 impressions ⁴	106R02720
High-Capacity Toner Cartridge	14,100 impressions ⁴	106R02722
Extra-high Capacity Toner Cartridge	25,300 impressions ⁴	106R02731
Drum Cartridge	68,000 impressions ⁵	113R00773
Options	Description	Order Number
550-sheet Tray	Adjustable up to A4	497K13620
Memory	Includes 512 MB RAM memory, expanded Secure Print, expanded Job Collation	497K13640
Productivity Kit	Includes 4 GB device memory, expanded Secure Print, Saved Print, expanded Job Collation, Security Certificates Storage, Font / Form / Macro Storage	497K13650
Stand	Adds storage capacity for supplies, device stability, mobility and 394 mm of height	497K13660
Wireless Connectivity Kit	Expand workflow options for your Xerox® equipment	097S04409

 $^{^{\}rm 1}$ Paper capacities are based on 75 gsm stock. Capacities will vary with different weight stocks.



 $^{^2}$ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

³ Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

⁴ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

⁵ Approximate pages. Declared Yield Drums based on an average job size of 3 pages A4 size. Drum yield will vary based on job run length, media type, size, weight, orientation and usage patterns.