



# Xerox® WorkCentre® 6515 Colour Multifunction Printer



System Specifications	WorkCentre 6515N	WorkCentre 6515DN	WorkCentre 6515DNI
<b>One-sided Speed</b> 8.5 x 11 in. 8.5 x 14 in. / 216 x 356 mm A4 / 210 x 297 mm	Up to 30 ppm Colour and Black and White Up to 24 ppm Colour and Black and White Up to 28 ppm Colour and Black and White		
<b>Two-sided Speed</b> 8.5 x 11 in. 8.5 x 14 in. / 216 x 356 mm A4 / 210 x 297 mm	NA	Up to 18 ppm Colour and Black and White Up to 17 ppm Colour and Black and White Up to 19 ppm Colour and Black and White	
<b>Monthly Duty Cycle<sup>1</sup></b>	Up to 50,000 pages / month		
<b>Recommended Average Monthly Print Volume<sup>2</sup></b>	Up to 3,000 pages		
<b>Processor</b>	1.05 GHz		
<b>Memory</b>	2 GB		
<b>Connectivity</b>	10/100/1000Base-T Ethernet High-Speed USB 3.0		10/100/1000Base-T Ethernet High-Speed USB 3.0 Wi-Fi 802.11n Wi-Fi Direct®
<b>Paper Handling</b>			
<b>Document Feeder</b>			
<b>Capacity<sup>3</sup></b>	Single-pass Duplex Automatic Document Feeder (DADF): 50 sheets		
<b>Sizes</b>	Custom Sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm		
<b>Weights</b>	16 lb. bond to 45 lb. cover / 60 to 125 gsm		
<b>Bypass Tray</b>			
<b>Capacity<sup>3</sup></b>	50 sheets		
<b>Sizes</b>	Custom Sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm		
<b>Weights</b>	16 lb. bond to 58 lb. cover / 60 to 220 gsm		

## Xerox® WorkCentre® 6515 Colour Multifunction Printer

<b>Media Types</b>	Bond Plain Card Stock Custom Envelopes Glossy Card Stock Hole punched Labels Letterhead Lightweight Cardstock Lightweight Glossy Card Stock Preprinted Recycled	
<b>Tray 1</b>		
<b>Capacity<sup>3</sup></b>	250 sheets	
<b>Sizes</b>	Custom Sizes 3 x 5.8 in. to 8.5 x 14 in. / 76 x 147 mm to 216 x 356 mm	
<b>Weights</b>	16 lb. bond to 65 lb. cover / 60 to 176 gsm	
<b>Media Types</b>	Bond Plain Card Stock Custom Envelopes Glossy Card Stock Hole punched Labels Letterhead Lightweight Cardstock Lightweight Glossy Card Stock Preprinted Recycled	
<b>Optional Tray 2</b>		
<b>Capacity<sup>3</sup></b>	550 sheets	
<b>Sizes</b>	Custom Sizes: 3 x 7.5 in. to 8.5 x 14 in. / 76 x 191 mm to 216 x 356 mm	
<b>Weights</b>	16 lb. bond to 65 lb. cover / 60 to 176 gsm	
<b>Media Types</b>	Bond Plain Card Stock Custom Glossy Card Stock Hole punched Letterhead Lightweight Cardstock Lightweight Glossy Card Stock Preprinted Recycled	
<b>Total Capacity</b>		
<b>Device Standard Capacity<sup>3</sup></b>	300 sheets	
<b>Device Total Capacity<sup>3</sup></b>	850 sheets	
<b>Paper Output</b>		
<b>Output Capacity<sup>3</sup></b>	150 sheets	
<b>Automatic 2-Sided</b>	NA	Standard

# Xerox® WorkCentre® 6515 Colour Multifunction Printer

Device Specifications	
<b>Electrical Requirements</b>	
<b>North America</b>	Voltage: 120 VAC +/- 10 % Frequency: 60 Hz +/- 3 Hz, 12A
<b>Europe</b>	Voltage: 220-240 VAC +/- 10 % Frequency: 50 Hz +/- 3 Hz, 6A
<b>Power Consumption</b>	
<b>Operation<sup>4</sup></b>	120V: Maximum 350 watts 220V: Maximum 370 watts
<b>Standby Mode<sup>4</sup></b>	120V: Maximum 51 watts 220V: Maximum 52 watts
<b>Power Off Mode<sup>4</sup></b>	120V: Maximum 0.2 watts 220V: Maximum 0.3 watts
<b>Sleep Mode<sup>4</sup></b>	120V: Maximum 1.1 watts 220V: Maximum 1.2 watts
<b>Warm-up (from Sleep Mode)</b>	As fast as 27 seconds
<b>Operating Environment</b>	
<b>Required Temperature Range</b> Storage Operating	-4°F to 104°F / -20°C to 40°C 41°F to 90°F / 5°C to 32°C
<b>Required Relative Humidity</b>	15% to 85%
<b>Sound Power Levels</b> Operating Standby	6.84 B or less 4.25 B or less
<b>Sound Pressure Levels</b> Operating Standby	52.5 dB(A) or less 26.3 dB(A) or less
<b>Dimensions and Weights (unpackaged)</b>	
<b>Workcentre 6515N, DN and DNI</b>	Width: 16.5 in. / 420 mm Depth: 19.9 in. / 506 mm Height: 19.7 in. / 500 mm Weight: 67.7 lb. / 30.7 kg
<b>550-sheet Paper Tray</b>	Width: 16.5 in. / 420 mm Depth: 18.3 in. / 465 mm Height: 5.9 in. / 150 mm Weight: 14.8 lb. / 6.7 kg
<b>Dimensions and Weights (packaged)</b>	
<b>Phaser 6510N, DN and DNI</b>	Width: 25 in. / 634 mm Depth: 22.8 in. / 580 mm Height: 26 in. / 659 mm Weight: 79.8 lb. / 36.2 kg
<b>550-sheet Paper Tray</b>	Width: 21.1 in. / 535 mm Depth: 23 in. / 584 mm Height: 9.8 in. / 248 mm Weight: 18.7 lb. / 8.5 kg

## Xerox® WorkCentre® 6515 Colour Multifunction Printer

System Certification/Regulatory Compliance	
<b>Certifications</b>	c TUV us FCC 47CFR15-B ICES/NMB-3 "A" CE NOM EAC UkrSepro BIS GS FCC 47CFR68 ISED DC-01 Citrix™ Certified Cerner Apple® AirPrint® certification Google Cloud Print™ Certification Mopria® certified Wi-Fi Alliance Certified Blue Angel MEDITECH ECOLOGO® EPEAT (United States) ENERGY STAR® To view the latest list of certifications, go to <a href="http://www.xerox.com/OfficeCertifications">www.xerox.com/OfficeCertifications</a> .
Copy	
<b>Document Scanner</b>	Single-pass Duplex Automatic Document Feeder (DADF) with 50-sheet capacity
<b>Document Scanner Size</b>	Platen: Up to 8.5 x 11.7 in / A4 DADF: 8.5 x 14 in. / 216 x 356 mm
<b>Simplex Speed</b>	Black and White: Up to 21 cpm (copies per minute) 8.5 x 11 in. / A4 / 210 x 297 mm Color: Up to 13 cpm (copies per minute) 8.5 x 11 in. / A4 / 210 x 297 mm
<b>Duplex Speed</b>	Black and White: Up to 9 cpm (copies per minute) 8.5 x 11 in. / A4 / 210 x 297 mm Color: Up to 8 cpm (copies per minute) 8.5 x 11 in. / A4 / 210 x 297 mm
<b>First-Copy-Out Time</b>	As fast as 12 seconds from the Platen
<b>Sides (input:output)</b>	1:1, 1:2, 2:2, and 2:1
<b>Quantity</b>	1 to 999
<b>Resolution</b>	Up to 600 x 600 dpi
<b>Reduction/Enlargement</b>	Variable zoom from 25 % to 400 % in 1 % increments
<b>Concurrency</b>	Concurrent scanning and printing
<b>Copy Features</b>	Automatic Background Suppression Book Copying Book Copying with Centre Erase Collation Darkness Control Edge Erase ID Card Copy N-up Reduce/Enlarge (25 % -400 %) Image Shift Original Type Sample Copy Sharpness
Print	
<b>First-print-out Time</b>	As fast as 12 seconds Colour and Black and White
<b>Print Resolution</b>	Up to 1200 x 2400 dpi

## Xerox® WorkCentre® 6515 Colour Multifunction Printer

<b>Page Description Languages</b>	Adobe® PostScript® 3™ PCL® 5e, 6 PDF TIFF
<b>Maximum Print Area</b>	4 mm edge of paper
<b>Print Features</b>	Banner Sheets Booklet Print Cover / Separators Draft Mode Fit to Page N-up Overlays PANTONE® Colour Calibrated Solid-colour Simulations Personal Print Proof Print RAM Collation Run Black Saved Print Secure Print Watermarks
<b>Print from USB</b>	Allows walk-up printing from Type A USB port Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, XPS
<b>Operating Systems</b>	Windows®, 7, 8, 10, Server 2000, Server 2003, Server 2008, Server 2008 R2, Server 2012 Mac OS® version 10.10 and higher Citrix® Redhat® Enterprise Linux® IBM® AIX® 5 HP-UX® 11iv2 Oracle® Solaris 9, 10 Fedora Core 12-15 SUSE®
<b>Network Protocols</b>	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD SMB SMTP, Secure SMTP LDAP, Secure LDAP Bonjour® / AirPrint® FTP Most protocols not in use can be disabled
<b>Administrative Protocols</b>	DHCP, SNMP v2/3, WINS, DHCP Autonet, TLS, SNTP, MDNS
<b>Font Capability</b>	136 PostScript fonts 88 PCL fonts
<b>Mobile Solutions and Mobile Device Apps</b>	
<b>Xerox® Mobile Express Driver®</b>	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of “favourite” printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT.
<b>Xerox® Global Print Driver®</b>	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management.
<b>Apple® AirPrint®</b>	Print email, photos and important office documents directly from an Apple iPhone® or iPad® with no drivers to install and no cables to connect. With AirPrint, an iPhone or iPad automatically locates and connects to the AirPrint-enabled device over the office Wi-Fi network.
<b>Google Cloud Print™</b>	Google Cloud Print connects print devices to the web, enabling users to print the applications they use every day from smartphones, tablets, Chromebook™ notebook computers and any other web-connected device.

## Xerox® WorkCentre® 6515 Colour Multifunction Printer

<b>Xerox® Print Service Plug-in for Android™ (Free at Google Play™ Store)</b>	The Xerox® Print Service Plug-in for Android KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. You can easily print photos, Web pages and documents when your mobile device is connected to printers or multifunction printers using a wireless network. A robust print option set includes two-sided printing, stapling and secure code release. A free download is available from the Google Play™ store.
<b>Xerox® Mobile Link App (Free at Google Play™ Store and Apple® App Store)</b>	The Xerox® Mobile Link App allows you to scan, email and fax from your phone or tablet by connecting with our multifunction printers and send data to and print data from cloud storage. It is easy to create Mobile Link One-Touch Workflows between a mobile device and a multifunction printer. Using a manual address or QR code identification for pairing, automatic device discovery makes it easy to find and pair a mobile device with a nearby Xerox® multifunction printer.
<b>Xerox® Wireless Print Solutions Adapter (Optional)</b>	The Xerox® Wireless Print Solutions Adapter seamlessly connects your Xerox® printer or MFP to modern mobile and desktop workflows, regardless of your office environment. For more information, visit <a href="http://www.xerox.com/WPSA">www.xerox.com/WPSA</a>
<b>Xerox® Print Management and Mobility Suite, Xerox® Print Management and Mobility Service</b>	Xerox® Print Management and Mobility Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version and with a cloud based-version of this solution.
<b>Scan</b>	
<b>Capability</b>	Colour and Black-and-white
<b>Concurrency</b>	Scan while the system is printing copy or network print jobs, or while it is transferring scan to network or fax jobs
<b>Input Speed - Black and White</b>	Scan up to 37 ipm – 8.5 x 11 in. / A4 / 210 x 297 mm
<b>Input Speed - Colour</b>	Scan up to 21 ipm – 8.5 x 11 in. / A4 / 210 x 297 mm
<b>Resolution</b>	Optical – 600 x 600 dpi
<b>Bit Depth</b>	24-bit Colour / 8-bit Greyscale
<b>Maximum Scan Area</b>	Platen: Up to 8.5 x 11.7 in. / A4 Document Feeder: Up to 8.5 x 14 in. / 216 x 356 mm
<b>Network Filing Protocol</b>	FTP SMTP SMB/SMB2
<b>File Formats</b>	JPG Single-page and Multi-page TIFF PDF Searchable PDF with integrated OCR
<b>Scan Driver Compatibility</b>	WIA TWAIN
<b>Supported Scan Destinations</b>	Scan to Email (local address book or LDAP integration) Scan to Network (via FTP/SMB) Scan to USB Memory Device Scan to Email (SMTP) Scan to WSD Scan to Application (TWAIN Network) Scan to WIA (WSD Scan) Scan to Mac 10.9 or later (Network/Mac ICA) Scan to Network Computer (SMB/FTP) Scan to Multiple Destinations in a Single Scan Job

## Xerox® WorkCentre® 6515 Colour Multifunction Printer

Security	
<b>Security Features</b>	Simultaneous HTTP and HTTPS support IPsec 802.1x Authentication S/MIME IP Filtering Secure Print Secure Fax Receive SNMP v3 LDAP (SASL) Network Authentication Kerberos Authentication (Unix / Linux / Windows ADS)
Fax <sup>5</sup>	
<b>Fax Speed</b>	33.6 Kbps
<b>Memory</b>	4 MB
<b>Resolution</b>	Up to 400 x 400 dpi
<b>Compression</b>	MH/MR/MMR/JBIG
<b>Fax Features</b>	Broadcast Sending (up to 200 destinations) Delayed Start (up to 24 hours) Fax Address Book (up to 200 speed dials) Fax Forward to Email Fax Forwarding and Local Print Polling Receive Reject Junk Fax Secure Fax Receive
Device Management	
Xerox® CentreWare® Web	
	<ul style="list-style-type: none"> <li>• A Web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system</li> <li>• Works with any SNMP-managed printer from any manufacturer</li> <li>• Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management</li> </ul>
Xerox® Embedded Web Server - Integrated Device Web Page	
<b>Device Status</b>	<ul style="list-style-type: none"> <li>• Tray status/contents</li> <li>• Consumables status</li> <li>• Billing/Usage</li> <li>• Quick Links</li> </ul>
<b>Job Submission</b>	Print-ready files (PS, PCL®, PDF, XPS, JPEG)
<b>Device Administration</b>	Allows simple, remote installation setting of configuration options and management of the device.
<b>Browsers</b>	Microsoft® Internet Explorer 11 Microsoft Edge™ 38 Mozilla™ Firefox® 48 Apple® Safari® 9.1 Google Chrome™ 52
Remote Print Services	
<b>Xerox® MeterAssistant® Service</b>	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
<b>Xerox® SuppliesAssistant® Service</b>	Automatically orders supplies for Xerox® output devices based on actual usage, eliminating the need to manually manage supplies inventory.
<b>Maintenance Assistant</b>	Offers a fast (and free) way to resolve potential issues and receive assistance and automate the troubleshooting/repair process. Diagnostic data is sent to Xerox, allowing for problems to be solved faster with increased uptime.

# Xerox® WorkCentre® 6515 Colour Multifunction Printer

What's In The Box		
	<ul style="list-style-type: none"> <li>• WorkCentre 6515 Colour Multifunction Printer</li> <li>• Standard Capacity Print cartridge: One of each (Cyan, Magenta, Yellow: 1,000 print capacity<sup>6</sup>; Black: 1,500 print capacity<sup>6</sup>)</li> <li>• Software and Documentation CD (with User Manual, Quick Install Guide, Safety, Regulatory, Recycling and Disposal Guides, Print Drivers, and Warranty Statement)</li> <li>• Installation Guide</li> <li>• Quick Use Guides</li> <li>• Power cord</li> <li>• Fax cord</li> </ul>	
Supplies and Accessories	Quantity	Part Number
<b>Supplies</b>		
<b>Extra-High Capacity Print Cartridges</b>	Cyan: 4,300 standard pages <sup>6</sup> Magenta: 4,300 standard pages <sup>6</sup> Yellow: 4,300 standard pages <sup>6</sup>	106R03693 106R03694 106R03695
<b>High Capacity Print Cartridges</b>	Black 5,500 standard pages <sup>6</sup> Cyan: 2,400 standard pages <sup>6</sup> Magenta: 2,400 standard pages <sup>6</sup> Yellow: 2,400 standard pages <sup>6</sup>	106R03488 106R03485 106R03486 106R03487
<b>Standard Capacity Print Cartridges</b>	Black: 2,500 standard pages <sup>6</sup> Cyan: 1,000 standard pages <sup>6</sup> Magenta: 1,000 standard pages <sup>6</sup> Yellow: 1,000 standard pages <sup>6</sup>	106R03484 106R03481 106R03482 106R03483
<b>Drum Cartridges</b>	Black: 48,000 pages <sup>7</sup> Cyan: 48,000 pages <sup>7</sup> Magenta: 48,000 pages <sup>7</sup> Yellow: 48,000 pages <sup>7</sup>	108R01420 108R01417 108R01418 108R01419
<b>Waste Cartridge</b>	30,000 pages <sup>7</sup>	108R01416
<b>Accessories</b>		
<b>550-sheet Paper Tray</b>		097S04765
<b>Wireless Network Adapter</b>		497K16750

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>2</sup> Expected regular monthly throughput.

<sup>3</sup> Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks.

<sup>4</sup> Power states defined per ENERGY STAR® Programme requirements for Imaging Equipment.

<sup>5</sup> Requires analogue phone line.

<sup>6</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print

<sup>7</sup> Approximate pages. Declared Yield based on letter-/A4-size 20 lb. (75 gsm) pages. Yield will vary based on media type, size, weight, orientation, and usage patterns.

Return spent imaging supplies through the Xerox Green World Alliance collection/reuse/recycling programme. For more information, visit [www.xerox.com/about-xerox/recycling](http://www.xerox.com/about-xerox/recycling).

For more information, visit us at [www.xerox.com](http://www.xerox.com)

