

# XEROX® VERSALINK® PRINTERS AND MULTIFUNCTION PRINTERS

The fast, friendly and well-connected workplace assistant.



**B 610 / B 615**

ConnectKey®  
Technology

**xerox™**

# Xerox® VersaLink® B610 Printer and Xerox® VersaLink® B615 Multifunction Printer

The fast, full-featured and office-friendly VersaLink® B610/B615 is anything but your basic black and white device. In fact, VersaLink® sets a new standard for what you can expect in work group productivity from Xerox. Home or away, this highly configurable, cloud-connected workplace assistant delivers completely new capabilities that go far beyond the competition – at a competitive price.

## **EASY, SMART AND SECURE.**

Right out of the box, you'll count on your VersaLink® B610 or B615 to make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go – hassle free.

Superior reliability comes from a new hardware design with fewer moving parts, strengthened paper-path components, and a more advanced Hi-Q LED print head.

VersaLink® devices are loaded with features designed to reduce inefficiency. Device management and user training can be done anywhere with the time-saving Remote Control Panel.

The most security-minded businesses and governments choose Xerox. We offer a comprehensive approach to print security that includes a powerful mix of built-in features and services that mitigate risk through a vigorous focus to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents.

## **CUSTOMISABLE, APP-BASED FUNCTIONALITY.**

The customisable, capacitive 7-inch colour touchscreen (5-inch on the B610), lets you breeze your way through tasks and functions with mobile-like ease.

Xerox® ConnectKey® Apps, accessed via the extensive Xerox App Gallery, provide expanded functionality — like the optional cloud connectors, which provide secure access to various cloud repositories for easy file printing.

Users on the go get more done in less time with native @printbyXerox support. They simply

submit their print job from any email-enabled device. Once at work, they securely log in to @printbyXerox on the VersaLink® device to retrieve their job. And with Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure access to task-specific presets, individualised favourite contacts, and commonly used apps on a personalised home screen.

## **CLOUD AND MOBILE CONNECTIVITY.**

The VersaLink® B610 Printer and VersaLink® B615 Multifunction Printer gives you the freedom to work where and how you want – with access to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

VersaLink® devices deliver for today's mobile workers with Apple® AirPrint®, Xerox® Print Services plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting [www.xerox.com/Mobile](http://www.xerox.com/Mobile).

## **ENVIRONMENTAL STEWARDSHIP.**

VersaLink® devices meet or exceed the requirements of the world's most widely recognised certifications for product environmental performance, including EPEAT®, which verifies manufacturer claims regarding design, production, energy use and recycling. (See the complete list of EPEAT-verified VersaLink® products.) For more information about our environmental, health, safety and sustainability efforts, visit [www.xerox.com](http://www.xerox.com).

## **XEROX® CONNECTKEY® TECHNOLOGY.**

### **Intuitive User Experience**

A familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customisation.

### **Mobile and Cloud Ready**

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

### **Benchmark Security**

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorised access, detect suspect or malicious behaviour, and protect data and documents.

### **Enables Next Generation Services**

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

### **Gateway to New Possibilities**

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at [www.ConnectKey.com](http://www.ConnectKey.com).

To learn more about VersaLink® device features, go to [www.xerox.com/VersalinkEG](http://www.xerox.com/VersalinkEG)



**Xerox® VersaLink® B610 Printer**  
Print.



**Xerox® VersaLink® B615 Multifunction Printer**  
Print. Copy. Scan. Fax. Email.



**1 500-sheet output tray** on VersaLink® B610 and **400-sheet output tray** on VersaLink® B615, both with full tray sensors.

**2 Card Reader Bay** for internal Card Reader/RFID Kit (on B610 an external Card Reader/RFID Kit is required when the Finisher or Mailbox options are added).

**3 A front-side USB port<sup>1</sup>** allows users to quickly print from or scan to<sup>2</sup> any standard USB memory device.

**4 150-sheet Bypass Tray** handles media sizes from 76 x 127 mm to 216 x 356 mm.

**5 Tray 1** handles up to 550 sheets with custom sizes of 76 x 127 mm to 216 x 356 mm.

**6 The 100-sheet Single-pass Duplex Automatic Document Feeder (DADF)<sup>2</sup>** scans two-sided originals for copy, scan and fax jobs.

**7 The optional stand** (includes Caster Base) provides storage for toner cartridges and other supplies.

**8 The High Capacity Feeder** (includes Caster Base) adds up to 2,000 sheets with standard sizes of A4.

**9 Add up to 4 additional 550-sheet paper trays** that handle sizes from 76 x 127 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).

**10 The optional finisher** collates and staples sets of up to 50 sheets and includes a 500-sheet output tray.

**11 The optional mailbox** includes 4 bins and each tray can handle up to 100 sheets.

<sup>1</sup> USB ports can be disabled.

<sup>2</sup> VersaLink® B615 only.

## INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced colour touchscreen interface. Whether 7-inch (B615) or 5-inch (B610), it's a user experience that sets a higher standard for customisation, personalisation and versatility.


By presenting a familiar "mobile" experience – with support for gestural input and task-focused apps that share a common look and feel – fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® B610 Printer and VersaLink® B615 Multifunction Printer get more work done, faster.



# Xerox® VersaLink® B610/B615



The VersaLink® B610 Printer and B615 Multifunction Printer are built on Xerox® ConnectKey® Technology. For more information, visit [www.ConnectKey.com](http://www.ConnectKey.com).

DEVICE SPECIFICATIONS		VersaLink® B610 Printer DN	VersaLink® B615 Multifunction Printer X, XL
Speed <sup>1</sup>		Up to 65 ppm letter/Up to 63 ppm A4	
Duty Cycle <sup>2</sup>		300,000 pages/month	
Processor/Memory/ Hard Disk Drive		1.05 GHz ARM Dual Core/2 GB/Optional 320 GB HDD	1.05 GHz ARM Dual Core/2 GB/320 GB HDD
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	
Controller Features		Unified Address Book (B615), Configuration Cloning, Scan Preview (B615), Xerox Extensible Interface Platform®, Xerox App Gallery App, Xerox® Standard Accounting Tool, Online Support (accessed from the user interface and print driver)	
Paper Handling	Standard	<b>Single-Pass Duplex Automatic Document Feeder (DADF):</b> 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm	
		<b>Bypass Tray:</b> Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm <b>Tray 1:</b> Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm	
	Optional	<b>Up to 4 Additional Tray:</b> Up to 550 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm <b>High Capacity Feeder:</b> Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	
Paper Output	Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options
	Optional	<b>Finisher:</b> 500-sheet tray, 50-sheet stapling <b>Mailbox:</b> Four 100-sheet bins	
Automatic Two-sided Output		Standard	
Copy and Print Resolution		<b>Print:</b> Up to 1200 x 1200 dpi	<b>Print:</b> Up to 1200 x 1200 dpi; <b>Copy:</b> Up to 600 x 600 dpi
First-page-out Time		<b>Print:</b> As fast as 3.7 seconds	<b>Print:</b> As fast as 3.7 seconds; <b>Copy:</b> As fast as 5.3 seconds from the Platen
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe® PostScript® 3™	
<b>INTUITIVE USER EXPERIENCE</b>			
Customise and Personalise		Walkup customisation, Personalise Home Screen by User, Multiple Home Screens with Simple ID, Customise by Site, Function or Workflow with Xerox App Gallery	
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring and Xerox® Global Print Driver®	
Embedded Web Server		PC or mobile – Status Information, Responsive Design, Settings, Device Management, Cloning	
Preview		N/A	Preview of Scan/Fax with Zoom, Rotate, Add Page
Remote Console		Remote Control Panel	
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bidirectional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode	
Scan		N/A	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Secure Scanning via SFTP
Fax <sup>3</sup>		N/A	Fax Features: Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email, Server Fax)
<b>MOBILE AND CLOUD READY</b>			
Mobile Printing		Apple® AirPrint®4, Mopria® Certified, Mopria® Print Service Plug-in for Android™, Xerox® @printbyXerox App, Xerox® Print Services plug-in for Android™	
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud, Connect via NFC/Wi-Fi Direct Printing, Xerox® Mobile Link App (B615). Visit <a href="http://www.xerox.com/OfficeMobileApps">www.xerox.com/OfficeMobileApps</a> for available apps	
Cloud Connectors <sup>3</sup>		Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more	
<b>BENCHMARK SECURITY</b>			
Network Security		IPsec, HTTPS, encrypted email, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration	
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader, Trusted Platform Module (TPM)	
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408), Encrypted Apps with Embedded Certificate Support	
Document Security		Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF (B615)	
<b>ENABLES NEXT GENERATION SERVICES</b>			
Print Management		Xerox® Standard Accounting; <b>Optional:</b> Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at <a href="http://www.xerox.com/PrintManagement">www.xerox.com/PrintManagement</a>	
Managing Print		Xerox® Device Manager, Xerox® Support Assistant App, Auto Meter Read, Managed Print Services tools, Configuration Cloning	
Sustainability		Cisco EnergyWise®, Earth Smart Printing, EPEAT-verified, Print User ID on margins	
<b>GATEWAY TO NEW POSSIBILITIES</b>			
Cloud Services		Xerox® Easy Translator (B615), many additional services available	
Xerox App Gallery		Many apps and cloud services available. Visit <a href="http://www.xerox.com/appgallery">www.xerox.com/appgallery</a> for a growing selection of Xerox® Apps available for adding functions	

<sup>1</sup>Declared print speed in accordance with ISO/IEC 24734. <sup>2</sup>Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; <sup>3</sup>Requires analog phone line; <sup>4</sup>Visit [www.apple.com](http://www.apple.com) for AirPrint Certification list. <sup>5</sup>Optional download from Xerox App Gallery to the Printer — [www.xerox.com/XeroxAppGallery](http://www.xerox.com/XeroxAppGallery).

## Certifications

To view the latest list of certifications, go to [www.xerox.com/OfficeCertifications](http://www.xerox.com/OfficeCertifications).

## Supplies

Standard Capacity Toner Cartridge: Black: 10,300 pages <sup>6</sup>	106R03941
High Capacity Toner Cartridge: Black: 25,900 pages <sup>6</sup>	106R03943
Extra High Capacity Toner Cartridge: Black: 46,700 pages <sup>6</sup>	106R03945
Drum Cartridge: 60,000 pages <sup>7</sup>	101R00582

## Options

550-sheet Feeder	097S04949
2,000-sheet High Capacity Feeder (includes Stand/Caster Base)	097S04948
Cabinet (includes stabilizers) Caster Base	097S04994 097S04954
Finisher (500 sheets, 50-sheet stapler)	097S04952
4-Bin Mailbox (100 sheets per bin)	097S04953
Wireless Network Adapter (Wi-Fi Kit)	497K16750
Productivity Kit with 320 GB HDD	497K18360

<sup>6</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

<sup>7</sup> Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit <http://www.office.xerox.com/latest/SUPGL-01.PDF>.

Configurations vary by geography.

For more detailed specifications, go to [www.xerox.com/VersalinkB610Specs](http://www.xerox.com/VersalinkB610Specs) or [www.xerox.com/VersalinkB615Specs](http://www.xerox.com/VersalinkB615Specs).  
For more information, visit us at [www.xerox.com/office](http://www.xerox.com/office).