

# Xerox® WorkCentre™ 5019/5021

## Black-and-white Multifunction System



	WorkCentre 5019 Platen	WorkCentre 5021 Platen	WorkCentre 5021 DADF
<b>Speed</b>			
<b>Black and white</b>	Up to 18 ppm (pages per minute) 8.5 x 11 in. / A4 (210 x 297 mm) LEF	Up to 20 ppm (pages per minute) 8.5 x 11 in. / A4 (210 x 297 mm) LEF	
<b>First-Page-Out Time</b>			
<b>Copy</b>	As fast as 7.5 seconds		
<b>Print</b>	As fast as 14 seconds		
<b>Paper Handling</b>			
<b>Platen</b>			
<b>Maximum Scan Area</b>	Up to 11 x 17 in. / 297 x 432 mm		NA
<b>Duplex Automatic Document Feeder</b>			
<b>Capacity<sup>1</sup></b>	NA		110 sheets
<b>Speed</b>			Simplex: 20 images per minute 8.5 x 11 in. / A4 long edge feed (LEF) continuous Duplex: 13 images per minute 8.5 x 11 in. / A4 long edge feed (LEF) continuous
<b>Sizes</b>			Standard sizes: 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3
<b>Weights</b>			16 lb. bond to 32 lb. bond / 50 to 128 gsm
<b>Bypass Tray</b>			
<b>Capacity<sup>1</sup></b>	100 sheets		
<b>Sizes</b>	Custom sizes: 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3		
<b>Weights</b>	16 lb. bond to 30 lb. bond / 60 to 110 gsm		

<sup>1</sup> Paper capacities are based on 20 lb. bond / 75 gsm stock; capacities will vary with different weight stocks.

# Xerox® WorkCentre™ 5019/5021

## Black-and-white Multifunction System

<b>Types</b>	Plain paper Recycled paper Labels		
<b>Tray 1</b>			
<b>Capacity<sup>1</sup></b>	250 sheets		
<b>Sizes</b>	Standard selectable sizes: 8.5 x 11 in. to 11 x 17 in. / B5 to A3		
<b>Weights</b>	16 lb. bond to 24 lb. bond / 60 to 90 gsm		
<b>Types</b>	Plain paper Recycled paper		
<b>Tray 2 (Optional)</b>			
<b>Capacity<sup>1</sup></b>	500 sheets		
<b>Sizes</b>	Standard selectable sizes: 8.5 x 11 in. to 11 x 17 in. / B5 to A3		
<b>Weights</b>	16 lb. bond to 24 lb. bond / 60 to 90 gsm		
<b>Types</b>	Plain paper Recycled paper		
<b>Paper Capacity</b>			
<b>Standard Capacity<sup>1</sup></b>	350 sheets		
<b>Maximum Capacity<sup>1</sup></b>	850 sheets		
<b>Copy Specifications</b>	<b>WorkCentre 5019 Platen</b>	<b>WorkCentre 5021 Platen</b>	<b>WorkCentre 5021 DADF</b>
<b>Document Scanner</b>	Platen	Platen	Duplex Automatic Document Feeder with 110-sheet capacity <sup>1</sup>
<b>Sides (input:output)</b>	1:1, 1:2 and 2:1		1:1, 1:2, 2:2 and 2:1
<b>Quantity</b>	1 to 999		
<b>Resolution</b>	600 x 600 dpi		
<b>Concurrency</b>	Concurrent scanning and printing		
<b>Copy Features</b>	Reduce/Enlarge N-up ID Card Copy Light/Darken Auto Rotation		
<b>Reduction/Enlargement</b>	Variable Zoom from 25% - 400% in 1% increments Six User-Programmable percentages (25%, 64%, 78%, 129%, 154% and 200%)		
<b>Print Specifications</b>			
<b>System</b>			
<b>Memory</b>	128 MB		
<b>Processor</b>	300 MHz		
<b>Page Description Languages</b>	HBPL		
<b>Print Resolution</b>	Up to 600 x 600 dpi		

<sup>1</sup> Paper capacities are based on 20 lb. bond / 75 gsm stock; capacities will vary with different weight stocks.

# Xerox® WorkCentre™ 5019/5021

## Black-and-white Multifunction System

<b>Print Features</b>	Watermark Poster N-up Booklet Mixed Document Toner Save
<b>Connectivity</b>	High speed USB 2.0 direct print, optional 10Base-T / 100Base-TX Network Card (not available with network scanning)
<b>Client Operating Systems</b>	Microsoft® Windows® XP (32/64-bit) Windows Server 2003 (32/64-bit) Windows Vista (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2008 R2 Windows 7 (32/64-bit) Windows 8 (32/64-bit) - Available post-launch Linux®
<b>Fonts</b>	Postscript 3: 136 Type 1 fonts, 2 Multiple Master fonts PCL: 82 scalable fonts, line printer bitmap font
<b>Printer Drivers</b>	
<b>Operating System</b>	Microsoft® Windows® XP (32/64-bit) Windows Server 2003 (32/64-bit) Windows Vista (32/64-bit) Windows Server 2008 (32/64-bit) Windows Server 2008 R2 Windows 7 (32/64-bit) Windows 8 (32/64-bit) - Available post-launch Linux®
<b>Scan Specifications</b>	
<b>Scanning</b>	
<b>Capability</b>	256 shades, Grey scale or black and white
<b>Concurrency</b>	Scan while the system is printing
<b>Input Speed</b>	Simplex: Scan at 20 ipm black-and-white 216 x 279 mm/A4 (LEF)
<b>Resolution</b>	Up to 600 x 600 dpi
<b>Maximum Scan Area</b>	Platen: A3 / 297 x 432 mm DADF: A3 / 297 x 432 mm
<b>File Formats<sup>2</sup></b>	TIFF PDF BMP XDW
<b>Scan Features</b>	Scan to PC Desktop® SE Personal Edition <ul style="list-style-type: none"> <li>• A desktop and server-based offering that provides document imaging, archiving, editing and organisation tools</li> <li>• Nuance PaperPort – image viewing and file management software</li> <li>• Nuance OmniPage (for desktop/client installation) – OCR and file format conversion software</li> <li>• Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox® WorkCentre to individual desktops.</li> </ul> ABBYY FineReader™ Support for Linux Scan (available post-launch)
<b>Supported Scan Destinations</b>	Scan to PC Scan to TWAIN application

<sup>2</sup> Dependent on client application software

# Xerox® WorkCentre™ 5019/5021

## Black-and-white Multifunction System

Device Specifications			
<b>Accounting</b>			
<b>Tracking</b>	Copy usage		
<b>Accounting</b>	Up to 10 User accounts (User ID)		
<b>Monthly Duty Cycle</b>			
	WorkCentre 5019: Up to 15,000 pages / month <sup>3</sup> WorkCentre 5021: Up to 20,000 pages / month <sup>3</sup>		
<b>Recommended Monthly Print Volume</b>			
	WorkCentre 5019: Up to 2,000 pages / month <sup>4</sup> WorkCentre 5021: Up to 2,500 pages / month <sup>4</sup>		
<b>Optional Accessories</b>			
	Additional Tray 2 Mobile Stand		
<b>Electrical</b>	<b>WorkCentre 5019 Platen</b>	<b>WorkCentre 5021 Platen</b>	<b>WorkCentre 5021 DADF</b>
<b>110–127 VAC, 50/60 Hz</b>			
<b>Power Consumption</b>			
Operating (avg.)	511 watts		
Low Power Mode	40 watts		
Ready Mode	65 watts		
Sleep Mode	2.4 watts		
<b>220–240 VAC, 50/60 Hz</b>			
<b>Power Consumption</b>			
Operating (avg.)	478 watts		
Low Power Mode	42 watts		
Ready Mode	56 watts		
Sleep Mode	2.5 watts		
<b>Warm Up</b>	30 seconds (maximum)		
<b>Low-Power Recovery</b>	30 seconds (maximum)		
<b>Required Temperature Range (Storage)</b>	4° to 122° F / -15° to 50° C		
<b>Required Temperature Range (Operating)</b>	50° to 90° F / 10° to 32° C		
<b>Required Relative Humidity</b>	15 to 85%		
<b>Noise Emission</b>			
<b>Sound Power</b>			
Standby:	3.67 B(A)		
Running:	6.81 B(A)		
<b>Sound Pressure</b>			
Standby:	20 dB(A)		
Running:	52 dB(A)		

<sup>3</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>4</sup> Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

# Xerox® WorkCentre™ 5019/5021

## Black-and-white Multifunction System

Dimensions and Weights (Base Units)	Width	Depth	Height	Weight
<b>WorkCentre 5019 Platen and 5021 Platen</b>	23.4 in. / 595 mm	22.4 in. / 569 mm	19.5 in. / 496 mm	66.1 lbs. / 30 kg
<b>WorkCentre 5021 DADF</b>	23.4 in. / 595 mm	22.4 in. / 569 mm	22.8 in. / 581 mm	79.3 lbs. / 36 kg
<b>Certifications</b>				
	UL-60950-1/CSA-60950-1-07, 2nd Edition CE Mark applicable to Directives 2006/95/EC, 2004/108/EC, 1999/5/EC ENERGY STAR®			
Supplies	Description	Order Number		
<b>Standard-Capacity Toner Cartridge</b>	9,000 standard pages <sup>5</sup>	006R01573		
<b>Drum Cartridge</b>	80,000 pages <sup>6</sup>	013R00670		
Options	Description	Order Number		
<b>Additional Paper Tray</b>	500 sheets	497K11610		

<sup>5</sup> Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

<sup>6</sup> Approximate pages. Declared yield based on an LEF A4 job size. Yield will vary based on media size and orientation.

